## HAPPY. HELPFUL. HONEST.



SASH + DOOR HARDWARE



CALL NOW ON O1752 651330 sdhardware.co.uk

## REASONS TO BUY FROM SDH.

HAPPY.
HELPFUL.
HONEST.

- **GREAT CUSTOMER SERVICE**
- **LARGE PRODUCT RANGE**
- **COMPETITIVE PRICING**
- **ESTABLISHED BUSINESS**
- **USER FRIENDLY WEBSITE**
- **TECHNICAL BACK-UP**
- 99% OF CALLS PICKED UP WITHIN 3 SECONDS
- PART Q COMPLIANCE TO THE LATEST REGULATIONS WITH NO CHARGES OR HIDDEN FEES

# 10 Years of dedication to the timber window and door industry

Since our official launch in 2015, we have been dedicated to supplying the timber window and door industry, with quality hardware at competitive prices, and a commitment to great customer service. After all, we're the only supplier named after the industry we serve.

We continue to work on product innovation and developing our recent Part Q testing to help the industry to which we are truly committed.



2015 - 2025

## THINGS TO LOOK OUT FOR.









## **REASONS TO BUY ONLINE.**



VIEW DISCOUNTED TRADE PRICES ONLINE



CHERRY PICK FROM PREVIOUS ORDERS



VIEW & PAY INVOICES + MUCH MORE

FREE UK CARRIAGE ON ORDERS OVER £150\* £95 FOR ORDERS PLACED ONLINE (EXCLUDING SASH WEIGHTS)

\*CARRIAGE CHARGES MAY ALSO APPLY TO DIRECT DELIVERIES

SDH reserve the right to change the design and specification of any item herein without notice. All measurements are in millimetres unless otherwise stated.

Payments powered by





## **CONTENTS.**

THE PART Q BLUEPRINT PAS 24:2022

6-7



#### **SLIDING SASH**

WEIGHTS	09
CORD	10
PULLEYS	10 - 11
QWOOD	12 - 13
STAFF & PARTING BEADS	14
SEALS	14 - 15
BALANCES	16 - 17
FURNITURE	18 - 28



#### **DRAUGHTSEALS**

FOAMTEQ	29
DEVENTER	30
SCHLEGEL AQUAMAC	31
THRESHOLDS & KEEPS	32 - 33



#### **GLAZING**

QWOOD	34 - 38
ACCOYA BEADING	39
GLAZING TAPES & SILICONE	40 - 41
GLAZING & CAPEX	42



#### **WINDOW HARDWARE**

ESPAG WINDOW LOCKS & KEEPS	45 - 47
EXCALIBUR SHOOTBOLT SYSTEM	50 - 51
WINDOW ACCESSORIES	52, 55 & 56
FRICTION HINGES	52 - 55
TILT & TURN	56
VENTILATION	57 - 59
WINDOW FURNITURE	60 - 70
YORKSHIRE SLIDERS	71



#### **DOOR HARDWARE**

DOOR CONFIGURATOR	73
FRONT ENTRANCE DOOR LOCKS	74 - 80
FRENCH DOOR LOCKS	81 - 88
LOCKS & LATCHES	89
KEEPS & ACCESSORIES	90 - 91
FLUSH BOLTS & ACCESSORIES	92 - 94
CYLINDERS	95 - 96

**COMING SOON** JUNE/JULY 2025

**GU SLAM SHUT** DOOR LOCK WITH NIGHT LATCH



#### **DOOR FURNITURE**

DOOR HANDLES	98 - 101 & 104
PULL HANDLES	102 - 103
CYLINDER PULLS & ESCUTCHEONS	105 - 106
DOOR KNOBS & KNOCKERS	107 - 109
LETTER PLATES	110 - 112
NUMERALS, BELL PUSHES & ACCESSORIES	112 - 113
DOOR BLANKS	115 - 115



#### HENDERSON SECUREFOLD PRO

#### **SLIDING & FOLDING HARDWARE**

PANO BI-FOLD HARDWARE	116
BRIO WEATHERFOLD 4S	117
CENTOR	118 - 119
HENDERSON SECUREFOLD	120 - 121
BI-FOLD ORDER FORM	122
VISTA PATIO SLIDE	123
INTERNAL FOLDING & SLIDING HARDWARE	124 - 129



#### **GENERAL HARDWARE**

HINGES	130 - 137
GATE HARDWARE	138 - 139



## **CONSUMABLES**

FILLERS & GLUES	140 - 141
ADHESIVES, ABRASIVES & FIXINGS	142
HAND TOOLS	143

**NEW CASCAMITE GLUES** 





# THE ANSWER TO PART Q... THE TIMBER WINDOW & DOOR INDUSTRY HAS BEEN LOOKING FOR!

The elephant in the room for Joineries is Part Q, and it's time that something was done about it, for the sake of the industry.

For years Part Q has been a headache for Joiners making windows and doors for new builds and extensions, as there's a lot of misinformation and misunderstanding out there. With the impending implications of Part Q being brought in for the refurbishment market, it's something we believe Joiners desperately need help with. Not a scheme or membership that is there to make a profit.

SD Hardware has played a crucial role in bringing together Accoya wood, ERA, and Midland Joinery Services to ensure compliance with Part Q of the Building Regulations. This is something we're giving away to the joinery industry for **FREE.** 

This document provides all the necessary details to ensure compliance with Part Q. Including details from our PAS24 tests, which will serve as the blueprint for achieving compliance.





## Following the Part Q guideline documents

For each type of window and door project, we have a document stating the section details and hardware used during the PAS 24:2022 tests as part of 'The Part Q Blueprint'. Follow these guidelines to ensure our products comply to Part Q requirements.



## Complete a Part Q Blueprint Certificate

A certificate is to be completed for all Part Q jobs providing a job reference number. This number will be used as a reference to link the job to any hardware purchase orders/invoices. If required, you can then show proof that the hardware used is the same as required as part of the blueprint.



## Apply stickers to relevant windows or doors

When each job is completed, stickers should be applied to each window and door that is required to comply with Part Q. This provides a visual cue for building inspectors when checking for compliance. A job reference should also be added for ease of administration.

#### PART Q PAS 24:2022 FOR SASH WINDOWS

The first Sash window tested to, and passed **PAS 24:2022** in Accoya.

For full details either give us a call or scan the QR code below to view our guideline document on manufacturing sash windows to comply with Part Q.





#### PART Q PAS 24:2022 FOR CASEMENT WINDOWS

Our performance casement window tested to, and passed **PAS 24:2022** in Accoya.

For full details either give us a call or scan the QR code below to view our guideline document on manufacturing casement windows to comply with Part Q.





#### PART Q PAS 24:2022 FOR SINGLE DOORS

Our single door tested to, and passed **PAS 24:2022** in Accoya.

For full details either give us a call or scan the QR code below to view our guideline document on manufacturing single doors to comply with Part Q.





All of our Part Q testing data is being made available to the Joinery industry **FREE of charge.** 

We truly believe this is what the industry needs, and our partnership with Accoya, ERA and Midland Joinery Services has allowed us to invest in the testing so that Joineries don't have to. With more testing on other products including Bi-Folds and a new sash window test, it's our intention to solve the hassle and expense when testing your own products or using other schemes you have to pay for.

ALL TESTS ARE
CARRIED OUT AT
ERA'S UKAS
ACCREDITED
TEST CENTRE.




## Anatomy of a Sash Window

and what **SDH** can supply

- 1. Sash Weights
- 2. Sash Cord

- 3. Pulleys
- 4. Staff & Parting Bead
- 5. Sash Seals & Pile
- 6. Spiral Balances
- **7.** Furniture
- 8. Security



We have all bases covered at **SDH** when you're looking for the products needed to manufacture a sash window.

Please get in touch and we'll be happy to help with your next sash window project.



#### **Steel Weights**

SDH steel weights are cut to size and provide a competitive alternative to lead weights.

- Can be used in 90% of sliding sash windows
- 1-5 day delivery
- Cut to size
- Coated to inhibit rust
- Non-hazardous product

Please find weight ranges in square sizes below.

Chart shows standard stocked sizes. Other sizes can be ordered. Please allow 7-10 extra days as this is made to order.

#### **BIG SAVINGS TO BE MADE USING STEEL**

LARGE STOCK HOLDING



	WEIGHT	PRICE
40mm Square	3lb to 30lb	PLEASE CALL
45mm Square	6lb to 38lb	PLEASE CALL
50mm Square	9lb to 41lb	PLEASE CALL

Approximate measurements

(can be used to work out bespoke sizes) 40mm = 37mm per lb 45mm = 29mm per lb 50mm = 23mm per lb

CHART SHOWS EXAMPLES, FOR OTHER SIZES & WEIGHTS PLEASE ENQUIRE ORDERS UNDER 1TON WILL BE SUBJECT TO A CARRIAGE CHARGE, PRICE ON APPLICATION



WEIGHT	LENGTH	WIDTH
5lb	198mm	40mm
6lb	234mm	40mm
7lb	270mm	40mm
8lb	306mm	40mm
9lb	342mm	40mm
10lb	378mm	40mm
11lb	414mm	40mm
12lb	352mm	45mm
13lb	381mm	45mm
14lb	409mm	45mm
15lb	438mm	45mm
16lb	466mm	45mm
17lb	495mm	45mm
18lb	523mm	45mm
19lb	552mm	45mm
20lb	580mm	45mm
21lb	609mm	45mm
22lb	637mm	45mm
23lb	666mm	45mm
24lb	552mm	50mm
25lb	575mm	50mm
26lb	598mm	50mm
27lb	621mm	50mm
28lb	644mm	50mm
29lb	667mm	50mm
30lb	690mm	50mm
31lb	713mm	50mm
32lb	736mm	50mm

## **Lead Weights**

We stock lead weights in the below bar lengths.

- Pre-cut service available
- Multitude of different sizes available

**DUE TO THE HUGE FLUCTUATION IN THE COST** OF LEAD PLEASE CALL US FOR OUR PRICES!





## **Make Weights**

Dimensions (Approx): Outer Radius: 38mm Hole Radius: 10mm



WEIGHT	PRICE
1lb	PLEASE CALL OR VISIT WEB
1-2 lb	PLEASE CALL OR VISIT WEB

#### **CARRIAGE CHARGE APPLY, PRICE ON APPLICATION**

SIZE	WEIGHT	PRICE
38-600mm	20lb	PLEASE CALL OR VISIT WEB
45-600mm	27lb	PLEASE CALL OR VISIT WEB

#### SDW1 **Deflector Make Weights**

• Designed with a tapered end to prevent suspended weights becoming caught on each other



WEIGHT	PRICE
1 lb	PLEASE CALL OR VISIT WEB



#### **SCAN FOR SASH WEIGHT PRICES...**

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/sash-hardware/sash-window-weights





#### Sash Cord

This is a small selection of our very extensive range of Sash Cord. Perfect for newly produced windows or refurbishing existing projects, our Sash Cord has been carefully chosen to include the finest and most popular cords in various sizes and types, we can even produce cord in various colours to suit certain applications.

#### **Nylon Cord**

Nylon Plait Sash Cord is made from strong plaited nylon fibres making it one of our strongest sash cords.



#### **Waxed Cord**

Waxed Sash Cord has a natural cotton cover with a polypropylene core for strength and is waxed for long lasting, weatherproof durability.



#### **Red Spot Cord**

Redspot super braid Sash Cord is made from 100% natural organic cotton.



**SCN-10** 

6mm x 10m Knots



6mm x 15m Knots








SCW-8-100



**SCRS-100** 







#### SCAN FOR SASH CORD PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/sash-hardware/sash-window-cord





## **Ball Bearing Pulleys**

High-Quality Ball Bearing Axle Pulley with concealed faceplate rivets.

- Radius or Square end available
- Max weight 50kg
- Comes with screws
- Ball-bearing wheel for smooth movement of sash
- Same routing preparation every time

Square: SP-PB-SQ Radius: SP-PB-RE






PLEASE STATE IF YOU REQUIRE RADIUS OR SQUARE END

#### Finishes:


Polished Chrome Polished Brass Satin Chrome

#### **Key Features:**

- 13-4" Wheel
- 2 Face-Fixing Points







## 2" Pulleys

High-Quality Ball Bearing Axle Pulley with concealed faceplate rivets.

- Radius or Square end available
- Comes with screws
- Extra fixing holes
- Ball-bearing wheel for smooth movement of sash
- Rivetless face for a better look

Square: SP-2-PB-SQ Radius: SP-2-PB-RE



Scau for prices






#### Finishes:

Satin Chrome Polished Brass Polished Chrome

#### **Key Features:**

- 2" Wheel
- 2 Face-Fixing Points (Radius)
- 4 Face-Fixing Points (Square)



## **Budget Pulleys**

Budget Axle Pulley with galvanised faceplate.

- Radius or Square end available
- Competitive Pulley
- Nylon Wheel

Square: PUL-GLA-SQ Radius: PUL-GLA










PLEASE STATE IF YOU REQUIRE RADIUS OR SQUARE END

#### **Key Features:**

- 13-4" Nylon Wheel
- 2 Face-Fixing Points





#### PROCESS FOR RUNNING TIMBER BEADS





















SETUP SPINDLE MOULDER

SELECT SUITABLE TIMBER

THROUGH SPINDLE MOULDER

REPEAT FOR EACH LENGTH

**REMOVE** WARPED TIMBER

DE-NIB

CUT EACH LENGTH TO SIZE

PRIME AND TOP COAT

**FND** GRAIN SEAL

#### **QWOOD PROCESS**



ALL THAT TIME AND MONEY SAVED **BY USING QWOOD** 







TOP COAT



## Why use Qwood?

- Used by joiners for over 10 years
- Over 10 million metres fitted
- Only FSC/PEFC certified product of its type, with 25% wood content
- More profiles than any other system on the market
- 7 of the top 10 UK joineries use it
- Does not rot
- Consistently straight
- No sanding or pre paint preparation
- No pinning on clip bead profiles
- Minimal Expansion or Contraction



**Qwood** is the **ONLY** composite beading product available on the market that is **FSC** certified



Please Note: Section drawings are just examples and not a specification.

#### **Slide Pile**










'T' Slot

PS6

PS7 Per 100m

PS11-5-W Per 100m Per 50m

**PS60** Per metre



#### **STAFF & PARTING BEADS**





















QW-SB25









QW-SB20 20x15mm Staff Bead





QW-CSB20 20x15mm Staff Bead

QW-CSB20-NI 20x15mm Staff Bead

QW-SC1 8x10mm Staff & Parting Bead Clip



















25






8mm Parting Bead



QW-PB8-NI 8x25mm Parting Bead



QW-CPB8 8mm Parting Bead

QW-CPB7-NI 7mm Parting Bead

5.17

It's increasingly popular for Joiners to manufacture sash windows with the brush pile fitted to the sash rather than the staff and parting beads. This creates a much cleaner and more traditional look, by hiding the brush pile from sight.

#### **SOLD IN 3M LENGTHS**

**CONTACT US OR LOGIN ONLINE FOR TRADE PRICES** 





25



#### OTHER SIZES AND UNPRIMED OPTIONS AVAILABLE, PLEASE ENQUIRE WITH OUR SALES TEAM

#### Parting Bead with Brush or 'T' Slot (3m)

Primed

CODES:

PPB8X25


PPR7X25 or

• Includes carrier

• Please see page 15

for suitable pile

- Cut in half for hidden weather seal
- Priced per 3m length
- Smooth sash movementAvailable in Brown & White




## Parting Bead Flipper (3m)

- Highly effective bead
- Easy fitting
- Twin co-extruded flipper

25

Available in Brown
 White



#### Sliding Sash Flipper Weatherseal (96m coil)

- Rigid Back ensures an easy mounting process
- Designed to be concealed from view, providing a traditional look to the window
- Available in Black or White



CODE: **DEV-SP5920** 

## **Q-Lon Weatherseal** (250m coil)

- High durability, superior recovery performance
- Weather and UV resistant
- Glass fibre thread or polypropylene insert
- Smooth or embossed exterior, resistant to contamination
- Seals gaps of 2.5mm 7mm
- Available in Black
   White




CODE: **QL48800** 

#### **Retaining Profile**

- 3m lengths
- For parting bead above (PPBB-PPBT)
- Makes moving & replacing sashes easier

CODE: PPRP



#### **Perimeter Seal**

- 3m lengths
- Excellent slide seal
- Available in Brown & White

CODE:



#### **Plastic Staff Seal**

- 2.4m in length
- Designed to fit a 2.5mm wide x 5mm deep groove
- Seal gap up to 5.5mm

CODE:




CONTACT US OR LOGIN ONLINE FOR TRADE PRICES



#### **Self Adhesive Carriers**

- 2.2m lengths
- Easy fit
- Fantastic perimeter seal















Each profile is available in Brown or White (please contact us for other colours)

#	CODE	DESCRIPTION
1	PS1	Self Adhesive Carrier (use with PS6, PS7, PS60 or PS61)
2	PS4	Self Adhesive Carrier with 6.5mm Pile
3	PS8	Self Adhesive Carrier with 8.5mm Pile
4	PS9	Self Adhesive Carrier with 6.5mm 'T' Slot



PS4 &

PS8


PS11 .....

## **Centre Leg Carriers**

- 2.2m lengths
- Easy fit
- Strong retention due to spurs on legs









#	CODE	DESCRIPTION
1	PS19	Centre Leg Carrier (use with PS6, PS7, PS60 or PS61)
2	PS2	Centre Leg Carrier with 6.5mm Pile
3	PS11	Centre Leg Carrier with 6.5mm 'T' Slot




#### **Offset Leg Carrier**

- 2.2m lengths
- Easy fit
- Strong retention due to spurs on legs











Each profile is available in Brown or White (please contact us for other colours)

#	CODE	DESCRIPTION					
1	PS12	Offset Leg Carrier (use with PS6, PS7, PS60 or PS61)					
2	PS3	OffsetLeg Carrier with 6.5mm Pile					
3	PS13	Offset Leg Carrier with 6.5mm 'T' Slot					



#### Pile and 'T' Slot

- Easy fit
- Pile includes centre fin for improved weatherseal

















#	CODE	DESCRIPTION				
1	PS20	5mm Self Adhesive Pile (sold in 100m)				
2	PS6	5mm Slide Pile (sold in 100m)				
3	PS7	8.5mm Slide Pile (sold in 100m)				
4	PS11-5-W	11.5mm Slide Pile (sold in 50m) white only				
5	PS60	6.5mm 'T' Slot (sold per metre)				





## **ERA**

## **Spiral Balances**

Spiral Balance windows are the modern version of a traditional double-hung timber sliding sash window. The double-glazed sashes slide by means of modern pre-tensioned springs instead of pulleys and weights. Traditional sash windows have a reputation for rattling, jamming, and draughts that affect their installation and operation. Spiral balances can help eliminate these problems and make the window more efficient and easier to operate.

#### **FEATURES**

- Easily adjustable (using a flexible screwdriver)
- Stainless steel springs
- Tested to over 25,000 cycles
- White tubes as standard but can come in following colours: Cream, Brown, Tan, Black and Grey.
- Mechanical guarantee
- Weight range from 5lbs -110lbs

#### **FULL FITTING INSTRUCTIONS AVAILABLE**

**SDH** highly recommend using pretension balances; not only do these come with a lifetime homeowner guarantee, they are so much easier for the end-user to operate. For that little bit extra in cost you get a far better product and a more efficient window.





Joinery by: Stanbrook & Nicholson

#### WHY USE THESE BALANCES?

- Manufactured in the UK
- A brand you can trust with over 40 years of supplying balances
- Very quick turnaround from order to delivery
- They have been used on a test to achieve PAS 24 security test



#### PLEASE FILL OUT SPIRAL BALANCE FORM OPPOSITE AND ENQUIRE FOR PRICES


## 3 easy steps to ordering balances

- Photocopy spiral balance form on next page or download from sdhardware.co.uk/resources/forms or scan QR code
- 2. Fill out form following the example (example shown in grey, on the right hand side of the form)
- 3. Email the form to sales@sdhardware.co.uk

Once you have sent us the form, we will get back to you with a quote. Usually within an hour or two. If you're happy to go ahead your balances will then be sent directly to you within 3-5 working days.



## If circular head on top sash, please contact our sales team




ORDER: (X)			COMPANY:								
ORDER NO:			ACCOUI								
CUSTOMER REF:			ADDRES	SS:							
ORDER DATE:		<u> </u>	TEL - FA	X:							
REQ DATE:			EMAIL:								
Additional Notes:											
	BA	LANCE	TUBE C	OLOUR							
PLEASE SPECIFY (X) (W=White, G=Grey, R=Brown, C=Cream, 1	[=Tan]		w		G	F	R	В		С	Т
TIMBER WINDOW SYSTEM (eg. NORMAL, TILT or EASYTILT)	- rany										NORM
WINDOW REF											EXAMPLE W1
WINDOW QUANTITY											1
PRETENSION ONLY (Y-N) (eg. F & K type o	nly)										Y
DIMENSION 'A' - Height of sash run											1000
(must be less than B + C) DIMENSION 'B' - Height of top sash (excluding horns)											520
LENGTH OF TOP SASH HORNS											50
DIMENSION 'C' - Height of bottom sash (excluding horn)											520
LENGTH OF BOTTOM SASH HORNS											50
SASH WIDTH											
	ТОР										15
GLAZED WEIGHTS (kg)	воттом										15
GLAZING SPECIFICATION (eg. 4-18-4 - full	spec req)										
SIDE FIX BOTH SASHES (Y-N)											Y
NOTE: ON ARCH HEAD VS WINDOWS WINDOW SPECIFICATIONS (i.e. high	PLEASE SEND CON	MPLETE	DRAWIN	G WITH	ORDER,	, WE MU	JST BE N	OTIFIE	O OF NO	N STAN	IDARD
IF ACCURATE GLAZED	WEIGHTS AREN	I'T PRC	VIDED V	WE CAN	INOT A	CCEPT					raille)
	INCORRECT SU		OF BALA		&C's A	PPLY					
BE-WIR-22498			D Type A								
FKINSTOOL		F & K Fitting Tool									
FLEX-ADJ-TOOL		Flexi Adjustment Tool									





## **Quadrant Arm Fastener**

- Modern sash fastener is crafted in polished brass
- Complete with screws



#### Locking Claw Fastener

- A decorative alternative to fitch fasteners
- Complete with screws
- Narrow 10mm back plate
- Available in Polished Brass, Polished Chrome & Satin Chrome
- Also available in Black, ask for details



#### **Brighton Fastener**

• Non-locking

CODE:

SSF8


PB

- Great for compressing mid-rail
- Complete with screws
- Available in Polished Brass, Polished Chrome & Satin Chrome




## CODE: SSF4












## Narrow Brighton Fastener

- Narrow 13mm back plate
- Ideal for double glazed sashes
- Complete with screws



PRODUCT CODES: Locking - SSF12 Non-Locking - SSF9











# SCAN FOR SASH FURNITURE PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW PRICES.

or visit: **www.sdhardware.co.uk** and enter the product code in the search bar. Please make sure you are logged in first to view trade prices.

ALL PRODUCTS ON THIS PAGE ARE ALSO AVAILABLE IN A RANGE OF OTHER FINISHES





#### Sash Ring

- Decorative Sash Ring
- · Complete with screws
- Available in Polished Brass, Polished Chrome & Satin Chrome



CODE: SSF7

PB PC SC





#### **D** Handle


- Decorative D handle to fit on bottom of top sash
- 130mm in length
- Complete with screws
- Available in Polished Brass, Polished Chrome & Satin Chrome



















**ALSO AVAILABLE IN ANTIQUE BRASS & BRONZE** PRICE ON APPLICATION

#### **Weekes Sash Stop**

- No key required
- Complete with screws
- Auto restricts sash





#### Sash Window Screw Locks

Concealed within the window and frame


 Key required to lock & unlock Available in Brass



13










#### **26mm Roller Stop**

- Complete with Key
- Polished Chrome or Satin Chrome





## 19mm Roller Stop

- 19mm heavy duty Sash Stop
- Includes: 1 x Stop, 2 x Receivers. Key & Plate
- 2 Keeps for multi restricted positions






## Sash Cord Plug

- Sash Cord Plug to attach cord to the sash
- · Complete with screws
- Tidy and secure



CODE: SSA-SS26


















#### ALL PRODUCTS ON THIS PAGE ARE ALSO AVAILABLE IN A RANGE OF OTHER FINISHES



#### **Modern Cam Catch**

- 'Modern' Cam Lock that sits discreetly on the window with key deadlocking
- Choice of keeps below
- · Available in many of the finishes from the Timber Series range shown above
- · Include more matching fixings





#### **High Security** Classic Cam Catch

- 'Classic' Cam Lock that sits discreetly on the window with key deadlocking
- Choice of keeps below
- · Available in many of the finishes from the Timber Series range shown above
- Include more matching fixings




CODE: TS-CLC



#### **High Security Heritage Cam Catch**

- 'Heritage' Cam Lock that sits discreetly on the window with key deadlocking
- · Choice of keeps below
- Available in many of the finishes from the Timber Series range shown above
- Include more matching fixings






CODF. TS-CLA



- · 'Architectural' Cam Lock that sits discreetly on the window with key deadlocking
- · Choice of keeps below
- Available in many of the finishes from the Timber Series range shown above
- · Include more matching fixings



CODF: TS-CLH


CODE:

TS-CLM

#### Cam Keep

- 11mm Keep thickness
- · Combine with a Standard or High Security Cam Catch
- 10 Year Mechanical Guarantee
- 480 Hour Corrosion Resistance
- Available in many of the finishes from the Timber Series range shown above
- Include more matching fixings






#### **High Security Cam Keep**

- 11mm Keep thickness
- Combine with a Standard or High Security Cam Lock
- 10 Year Mechanical Guarantee
- 480 Hour Corrosion Resistance
- Combine with a high security Cam Catch for a PAS24 compatible window
- Include more matching fixings 11




PRODUCT CODES:





#### PRODUCT CODES: 11mm - TS-CK11

#### MORE SUITED PRODUCTS IN THIS RANGE AVAILABLE ONLINE



#### Sash Lift


- Sturdy design for easy operation
- 480 Hour Corrosion Resistance
- Available in many of the finishes from the Timber Series range shown on opposite page

Include more matching fixings



CODE: TS-SL

NEW



#### Sash Eye

TS-FFC

- Inline Sash Window Sash Eye, designed with a sturdy feel to operate vertical sliding windows
- 480 Hour Corrosion Resistance
- Available in many of the finishes from the Timber Series range shown on opposite page

 Include more matching fixings CODE: TS-SE

#### Offset Sash Eye

- Offset Sash Window Sash Eye, designed with a sturdy feel to operate vertical sliding windows • 480 Hour Corrosion Resistance
- Available in many of the finishes from the Timber

Series range shown on opposite page Include more matching fixings

CODE: TS-OFSE



**NEW** 

#### Sash Travel Restrictors (Face or Side Fix)

- Convenient, simple and cost effective method to restrict the opening on sliding sash windows
- Integrated Bump Stop
- Key operated locking barrel to secure bolt in locked position
- Easi-Glide Feature

**Face Fix** 


23.3

CODE: TS-TRFF

((O) 0[

- Available in many of the finishes from the Timber Series range shown on opposite page
- Include more matching fixings









## Sash Handle

- Elegantly designed sash/bow handle for vertical sliding sash windows
- · Helps with smooth operation and features a sturdy design for enhanced functionality
- Include more matching fixings





#### SCAN FOR SASH FURNITURE PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/sash-hardware/sash-window-furniture










# **NEW** Accoya pre-machined beads from SDH

Tired of running your own beads in Accoya? Many joiners find it an inconvenience running their own beads, especially when they're busy!


Accoya pre-machined beads from SDH, solve this problem. We now hold stock of the 4 profiles shown on this page. So when you're running low on any of these beads, instead of finding the time to man another machine and run your own beads, just give us a call and we can deliver exactly what you need for your next job.


For prices, give us a call or visit; www.sdhardware.co.uk











The above beads are another development from SDH and Accoya. Over the past 18 months SDH have also been working closely with Accoya on **The Part Q Blueprint** scheme. Further developing our relationship with the Accoya Brand, to become a *Strategic Partner*.



# Handcrafted Style & Sophistication



Over **560** products in this collection



Add that finishing touch to your sash windows with our collection of **hand crafted** solid brass sliding sash furniture.

Available in a large array of finishes & styles, this range of fasteners and decorative sash hardware will enhance the finish of your windows.

PLEASE ENQUIRE ABOUT BULK DISCOUNTS ON THIS RANGE



#### **Narrow Brighton Fastener**

- Size of Plate: 56mm x 13mm
- Height of Product: 63mm
- Complete with screws

PRODUCT CODES: Non-Locking - SHC185 Locking - SHC185L

#### **Brighton Fastener**

- Size of Plate: 59mm x 21mm
- Height of Product: 65mm
- Complete with screws

PRODUCT CODES: Non-Locking - SHC161 Locking - SHC161L



#### **Straight Arm Fastener** with Plain Round Knob

- Size of Plate: 65mm x 20mm
- Height of Product: 30mm
- Complete with screws

PRODUCT CODE: SHC097















## SASH FASTENERS

This comprehensive collection of Sash Window Fasteners features a wide variety of styles to suit a range of Sash Window styles.

This range of fasteners have been designed with the end-user in mind, providing a practical and easy-to-use solution to securing your sash windows while adding a beautiful, elegant finish to match your home decor.

**MORE STYLES AND TECHNICAL DRAWINGS AVAILABLE ONLINE** 

#### **Non-Locking Quadrant Fastener**

- Size of Plate: 65mm x 20mm
- Height of Product: 35mm
- Complete with screws

PRODUCT CODE:

## **SHC158**

#### **Brighton Acorn Fastener**

- Size of Plate: 48mm x 22mm
- Height of Product: 65mm
- Complete with screws

PRODUCT CODES: Non-Locking - SHC107 Locking - SHC107L



#### **Fitch Fastener**

- Size of Plate: 67mm x 16mm
- Height of Product: 22mm
- Complete with screws

PRODUCT CODES: Non-Locking - SHC183 Locking - SHC183L



#### **CLAW FASTENERS**

Beautifully hand crafted using solid brass, these claw sash fasteners are a decorative alternative to Fitch Fasteners. Featuring detailed and decorative knobs.

\*SOME PRODUCTS MAY NOT BE AVAILABLE IN ALL FINISHES.
PLEASE CHECK
ONLINE OR WHEN
PLACING ORDERS.





Black



Bronze



Antique



Satin



Satin



Polished



Polished



**MORE STYLES AND TECHNICAL DRAWINGS AVAILABLE ONLINE** 













- **Claw Fastener** with Black or Rosewood Knob
  - Size of Plate: 65mm x 19mm
  - Size of the Keep: 65mm x 9mm
  - Height of Product: 48mm

**PRODUCT CODES:** Non-Locking - SHC108WR Locking - SHC108WRL

- **Claw Fastener** with Ball Knob
  - Size of Plate : 64mm x 18mm
  - Size of the Keep: 63mm x 10mm
  - Height of Product: 35mm

PRODUCT CODES: Non-Locking - SHC197 Locking - SHC197L

- **Claw Fastener** with White or Black Ceramic Knob
  - Size of Plate: 65mm x 19mm
  - Size of the Keep: 65mm x 9mm
  - Height of Product: 48mm

PRODUCT CODES: Non-Locking - SHC108 Locking - SHC108L

- **Claw Fastener** with Knurled Knob
  - Size of Plate: 65mm x 19mm
  - Size of the Keep: 64mm x 10mm
  - Height of Product: 30mm

PRODUCT CODES: Non-Locking - SHC079 Locking - SHC079L

- **Claw Fastener** with Reeded Knob
  - Size of Plate: 65mm x 19mm
  - Height of Product: 35mm

PRODUCT CODES: Non-Locking - SHC113 Locking - SHC113L

- **Art Nouveau Claw Fastener** 
  - Size of Plate: 66mm x 20mm
  - Non-Locking only

PRODUCT CODE: **SHC106** 



#### **SASH LIFTS & EYES**

Our collection of Sash Lifts & Eyes features a selection of styles to suit many Sash Windows. This range of beautifully hand-crafted Sash Lifts & Eyes have been designed to provide a practical and easy-to-use solution to opening sash windows while adding a beautiful, elegant finish to match your home decor.

#### **FINISHES\***

















Bronze Antique Satin Satin Polished Polished Antique Brass Nickel Chrome Chrome Brass Nickel

## MORE STYLES AND TECHNICAL DRAWINGS AVAILABLE ONLINE















\*SOME PRODUCTS MAY NOT BE AVAILABLE IN ALL FINISHES. PLEASE CHECK ONLINE OR WHEN PLACING ORDERS.

#### Standard Sash Eye

- Size of Plate: 43mm x 17mm
- Height of Product: 33mm
- Comes with Screws

PRODUCT CODE: SHC187

#### 2 Standard Sash Ring

- Size of Plate: 37mm x 16mm
- Height of Product: 30mm
- Comes with Screws

PRODUCT CODE: SHC205

#### 3 Sash Eye with Border

- Size of Plate: 50mm x 18mm
- Height of Product: 37mm
- Comes with Screws

PRODUCT CODE: SHC186

#### 4 Reeded Sash Lift

- Size of Plate: 45mm x 38mm
- Height of Product: 28mm
- Comes with Screws

PRODUCT CODE: SHC167

#### 5 Standard Sash Lift

- Size of Plate: 50mm x 45mm
- Height of Product: 35mm
- Comes with Screws

PRODUCT CODE: SHC164

#### 6 Sash Lift with Full Border

- Size of Plate: 50mm x 45mm
- Height of Product: 37mm
- Complete with screws

PRODUCT CODE: SHC166

MORE STYLES AND TECHNICAL DRAWINGS AVAILABLE ONLINE

#### **SASH HANDLES**

These Sash Handles are a conventional and easy-to-use sash handle for moving sash windows up and down. What's great about these handles is the range of matching finishes available as part of the Sash Heritage Collection.

#### **FINISHES\***





Bronze



Antique

Brass



Nickel



Satin

Chrome







Polished Polished Antique Chrome Brass Nickel

\*SOME PRODUCTS MAY NOT BE AVAILABLE IN ALL FINISHES. PLEASE CHECK ONLINE OR WHEN PLACING ORDERS.



#### Sash Handle

- Size of Plate: 132mm x 12mm
- Height of Product: 23mm
- Comes with Screws

PRODUCT CODE: SHC171

#### 2 Shaped Sash Handle

- Size of Plate: 129mm x 17mm
- Height of Product: 35mm
- Comes with Screws

PRODUCT CODE: SHC153



## **Sash Handle** with Border

- Size of Plate: 136mm x 14mm
- Height of Product: 31mm
- Comes with Screws

PRODUCT CODE: SHC172







MORE DECORATIVE STYLES AND TECHNICAL DRAWINGS ARE AVAILABLE ONLINE





## **SECURITY & RESTRICTORS**

These range of restrictors allow your sash window to be vented but not compromised on security. The restrictor element allows the sashes to be opened only to a predetermined opening that will prevent the risk of children and the infirm from falling out of an open window

#### **FINISHES\***





Bronze



Antique



Satin



Satin



Polished

Chrome



Polished



Nickel

#### **MORE STYLES AND TECHNICAL DRAWINGS AVAILABLE ONLINE**





\*SOME PRODUCTS MAY NOT BE AVAILABLE IN ALL FINISHES. PLEASE CHECK ONLINE OR WHEN PLACING ORDERS.

#### **Weekes Sash Stop** with Radius Ends

- Dimensions: 70 x 17 x 26mm
- No key required
- Complete with screws

#### PRODUCT CODE: **SHC193**

## **Dual Screw** with Key

**Weekes Sash Stop** 

Complete with screws

• Dimensions: 70 x 17 x 26mm

with Square Ends

No key required

PRODUCT CODE:

**SHC193S** 

- Midrail security screw to lock sash windows in to position
- Complete with key

#### PRODUCT CODES: 100mm - **SHC200** 70mm - **SHC198**

#### Sash Stop

- Easy to install
- Includes 2 colour matched Stainless Steel inserts & key

#### PRODUCT CODES: 28mm - SHC256

## 19mm - SHC195

#### **Bartholomew Sash Stop**

• Fitted to the top Sash to restrict the bottom sash from passsing

PRODUCT CODE: SHC266

#### Flush Lock Sash Stop with Key

• Stop can be retracted into the barrel to allow the window to be fully opened

PRODUCT CODE: **SHC181** 

MORE STYLES AND TECHNICAL DRAWINGS AVAILABLE ONLINE







**FT06** 



**Groove: 2.8 x 6.5mm** Brown, White or Black

**FT11** 



Groove: 2.8 x 6mm Brown, White or Black

**FT20** 




**Groove: 2.8 x 6.5mm** Brown, White or Black

250m coil

300m coil


250m coil

125m coil




Groove: 3 x 7.5mm Brown, White or Black

**FT25** 



Groove: 2.8 x 6.5mm Brown, White or Black

**FT24** 



Groove: 3 x 6.5mm Brown, White or Black

150m coil

150m coil

**FT08** 





Groove: 2.7 x 6mm Brown, White or Black

200m coil

**FT46** 

100m coil



Groove: 3 x 6.5mm Brown, White or Black

3.8

Groove: 2.8 x 6mm Brown, White or Black

350m coil

2.1m length

**EMAIL:** sales@sdhardware.co.uk

**WEB:** www.sdhardware.co.uk

#### The world's first and leading manufacturer of weatherseals

## **DEVENTER**

#### Compression Weather Seal (10mm Rebate)



For Tilt & Turn windows Available Black, Brown or White 3mm Groove





DEV-SP103A
Priced per 175m coil

#### Compression Weather Seal (12mm Rebate)

Available Black, Brown or White 3mm Groove






#### Compression Weather Seal (15mm Rebate)



Available Black, Brown or White 3mm Groove





DEV-124-15
Priced per 100m coil

#### Compression Weather Seal (18mm Rebate)

Available Black, Brown or White 3mm Groove



DEV-124-18
Priced per 100m coil

#### Sliding Sash Flipper Weather Seal

Available Black or White 3mm Groove




Priced per 96m coil

## Compression Weather Seal



Available Black or White 2.7mm Groove





Priced per 250m coil

# Rebate Weatherseal Available Black or White 3mm Groove




Priced per 200m coil





FAX: 01752 253823



Priced per 350m coil

Priced per 200m coil

code on our website.

#### **ALL THRESHOLDS SOLD IN 1, 2 AND 3 METRE LENGTHS**


#### INWARD OPENING

#### MAC15-2 (for 44mm doors)

- Accepts MWK Striker block and SDH Thimble keeps
- Double EPDM seals
- Self-Draining cill








CODE	SIZE			
MAC15-2-1000	1m			
MAC15-2-2000	2m			
MAC15-2-3000	3m			
MAC15-2-3000BL	3m			
3m THERMALLY BROKEN VERSION				

#### **MXS15-56** (for 56mm doors)

- Accepts MWK Striker block and SDH Thimble keeps
- Double EPDM seals
- Self-Draining cill








CODE	SIZE
MXS15-56-1000	1m
MXS15-56-2000	2m
MXS15-56-3000	3m
MXS15-56-3000BL	3m

#### MXS15-56RITB (for 56mm doors)

- Accepts MWK Striker block and SDH Thimble keeps
- Double EPDM seals
- Self-Draining cill







## THERMALLY BROKEN THRESHOLD (3M LENGTH)


CODE	SIZE
MXS15-56RITB	3m
MXS15-56RITB-BL	3m

#### MXS15-68RITB (for 56mm doors)

- Accepts MWK Striker block and SDH Thimble keeps
- Double EPDM seals
- Self-Draining cill







## THERMALLY BROKEN THRESHOLD (3M LENGTH)

CODE	SIZE
MXS15-68RITB-3000	3m
MXS15-68RITB-3000-BL	3m


#### **OUTWARD OPENING**

#### OUM4 (for 44mm & 56mm doors)

- Accepts MWK Striker block and SDH Thimble keeps
- Self-Draining cill








CODE	SIZE
OUM4-1000	1m
OUM4-2000	2m
OUM4-3000	3m
OUM4-3000BL	3m

#### **OUM5RITB**

- Accepts MWK Striker block and SDH Thimble keeps
- Self-Draining cill







## THERMALLY BROKEN THRESHOLD (3M LENGTH)

CODE	SIZE
OUM5RITBAL3000	3m
OUM5RITBBL3000	3m


#### **ALL THRESHOLDS SOLD IN 1, 2 AND 3 METRE LENGTHS**

#### **INWARD & OUTWARD**

#### TRX (for 44mm doors)

• EPDM Seal is reversible





**OTHER SIZES AVAILABLE** PLEASE ASK FOR DETAILS


SIZE
3m
3m


SPECIAL ORDER

#### **SLT**

- Under door clearance 18mm
- Suitable for double doors







**OTHER SIZES AVAILABLE** PLEASE ASK FOR DETAILS

CODE	SIZE
SLT3000	3m

**SPECIAL ORDER** 



#### **Gravis Drop Down Threshold**

- For Timber and Security Doors
- 17mm Maximum Drop
- Fixed with stainless steel bracket
- Plunger adjustment
- Trimming lengths up to 150mm on the opposite side to the plunger
- Self-levelling

TECH DRAWING AVAILABLE





**Galvanised Waterbar** 

in a choice of 1m, 2m and 3m lengths. 1 & 2m (28 x 4mm), 3m (30 x 5mm)

Flat Galvanised Waterbar

CODE	
TWB1	
TWB2	
GWB3FLAT	


#### **Plastic Weatherbar**

- Available in 1m or 2.4m lengths
- PWB1 available in Brown

CODE PWB1

PWB2.4

• PWB2.4 White or Brown



# SDH Single Shootbolt Adjustable Strike

- For use when using shoot bolts on windows and doors
- Easy adjustment
- +/- 3mm adjustment
- 14 x 10mm Aperture

#### **Thimble Keep**

926mm


1026mm



**SDH-TK** 

## **SDH Threshold**

- Perfect keep solution for single shootbolts into a threshold
- 14 x 10mm Aperture



#### 22mm Single **Shootbolt Keep**

Allen key adjustable



SDH-SK-HD


#### **Threshold Striker Plate**

- Ali Striker plate for most Part M Exitex thresholds
- Available in Aluminium



**MWK-STRIKER** 

## Pinless (Clipped) Glazing Beads









With over 10 million metres fitted to timber windows and doors in the UK, Qwood has helped our customers increase efficiencies and profitability, as well as improve the quality of the windows and doors they manufacture.

With fewer remedial issues than timber beading, you can see why Joiners have said they would never go back to running their own beads.

We are happy to supply samples of any profiles you may be interested in and answer any questions you may have on Qwood.

## Why use Qwood?

- Used by joiners for over 10 years
- Over 10 million metres fitted
- Only FSC/PEFC certified product of its type, with 25% wood content
- More profiles than any other system on the market
- 8 of the top 10 UK joineries use it
- Does not rot
- Consistently straight
- No sanding or pre paint preparation
- No pinning on clip bead profiles
- Minimal Expansion or Contraction

## The 4 easy steps to beading with Qwood.








but in cheat mode.





















SCAN FOR QWOOD PRICES...
PLEASE LOGIN TO YOUR ONLINE
TRADE ACCOUNT TO VIEW
TRADE PRICES.


or visit: www.sdhardware.co.uk/brands/qwood







#### **STAFF & PARTING BEADS**





#### SCAN FOR GLAZING BEAD PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/glazing/glazing-bead




# **NEW** Accoya pre-machined Beads from SDH

Tired of running your own beads in Accoya? Many joiners find it an inconvenience running their own beads, especially when they're busy!

Accoya pre-machined beads from SDH, solve this problem. We now hold stock of the 4 profiles shown to the right. So when you're running low on any of these beads, instead of finding the time to man another machine and run your own beads, just give us a call and we can deliver exactly what you need for your next job.


For prices, give us a call or visit; www.sdhardware.co.uk



## Flexibead Putty Line Glazing Beads


- Does not rot
- Knot free, no twists or kinks
- Environmentally friendly
- Easily painted
- Weather resistant
- UV stable
- Durable

PROFILES THIS SMALL ARE NOT ABLE TO BE EXTRUDED IN OUR MOST POPULAR BEADING PRODUCT QWOOD, SO THIS IS A GREAT ALTERNATIVE FOR PUTTY LINE BEADS.



FLEXI-1

9 x 9mm



NEW


Other profiles available, please ask for details.



## **Drained & Vented**

#### **FOR FACTORY FITTING & SITE FITTING**

This system of glazing can be achieved using many different combinations of products. The 'Drained & Vented' method which is now more widely used, will allow moisture within the rebate to escape via a vented sash or the glazing bead. This system can be applied either on-site or within a factory environment as you are allowing the free movement of moisture. SDH tapes have been tested by BSI and BBA for security (See prices below) Qwood is also a good option for this system as it creates a very clean and simple pinless glazing solution.




#### **Security Glazing Tape**

SDH glazing tapes are a competitive but secure glazing product for securing the glass to the timber rebate ensuring that the glass unit cannot be easily removed. Manufactured from PVC foam with a high-performance solvent-based acrylic.


- Ensures water tightness and draught-proofing between the frame and glass
- Easy to install with no special tools
- Application temperature +10°c
- · Available in black or white
- Allow tolerance of 1mm on width of tapes







White or Black



#### **Astragal/Georgian Bar Tape**

SGT3X15W or SGT3X15B

A high-performance double-sided adhesive foam-based tape for bonding glazing bars onto the surface of glass units. This tape has a liner that enables it to be peeled away from between the glass and the bar, to ensure correct positioning. Our Georgian Bar Tape offers good UV resistance and high adhesive bond, is quick and easy to install, and no curing or drying time is required. Suitable for internal or external use.

3mm x 15mm (20m coil)

- Specifically designed for bonding Astragal bars to the surface of glass units
- · High adhesive bond, quick and easy to install
- Improved tack, adhesion, and dynamic strength
- Good bond to glass, timber, and most paintsCan be used with polycarbonate
- 50m roll
- Available in Black or White
- Allow tolerance of 1mm on width of tapes



#### OTHER SIZES AVAILABLE PLEASE ENQUIRE WITH OUR SALES TEAM

1mm Thickness	2mm Thickness	SIZE (Width & Length)	FINISH
ABT1X10W/B	ABT2X10W/B	10mm (50m coil)	White or Black
ABT1X12W/B	ABT2X12W/B	12mm (50m coil)	White or Black
ABT1X15W/B	ABT2X15W/B	15mm (50m coil)	White or Black
ABT1X18W/B	ABT2X18W/B	18mm (50m coil)	White or Black
ABT1X20W/B	ABT2X20W/B	20mm (50m coil)	White or Black
ABT1X22W/B	ABT2X22W/B	22mm (50m coil)	White or Black
ABT1X24W/B	ABT2X24W/B	24mm (50m coil)	White or Black
ABT1X25W/B	ABT2X25W/B	25mm (50m coil)	White or Black






## **Fully Bedded**

#### FOR FACTORY FITTING ONLY

This system of glazing is where you encase the glazed unit with butyl Arboseal GZ tape and Arbosil LM Silicone. This method is a traditional system of not allowing any moisture to penetrate the tapes and affect the glass unit, therefore preventing the unit from failing. This system can only be applied within a factory-controlled situation and NOT fitted on site. This is due to the requirement of being able to control the relative air moisture, so that you do not lock moisture within the rebate.





Our ARBO brand sealants are respected throughout the building, glazing and construction industries by architects and contractors.



Arbosil HDLM is a one part Neutral Cure Silicone Sealant which cures on exposure to moisture vapour to form an elastic silicone rubber.

Recommended for perimeter sealing for double glazed units with Arbosil GZ butyl tapes to achieve a fully beaded glazing system in timber windows.

Can also be used for heel Bead methods of glazing insulating glass units, remedial glazing, and sealing joints in translucent roofing sheets.

Available in Black, White, Clear and Brown.

ΔRR-I M **Arbosil HDLM** 310ml tube (25 tubes per box)













#### **FULL DATA SHEETS AVAILABLE ON REQUEST**

#### **Hodgsons Silfix U9 Silicone**

Silfix U9 is a high-performance, low modulus, neutral cure silicone sealant designed for a broad range of glazing, industrial, and construction applications.

Available in Clear (U9CLEAR) and White (U9WHITE)

#### **Common Applications:**

- Capping and bedding of glass and insulating glass units in bead glazing systems
- Sealing joints between GRP panels, roof sheets, trims, and flashings
- A wide variety of industrial and construction applications

#### **Key Characteristics:**

- Strong adhesion to a wide range of substrates
- Performs well across varying temperatures
- Suitable for use with laminated glass
- Good tooling characteristics

#### **Technical Properties:**

- Application temperature: +5°C to +40°C
- Curing rate: Approximately 2 mm in 24 hours at 23°C and 60% RH (slower in cooler or drier conditions)
- Shelf life: 12 months
- Skin formation: Around 20 minutes at 23°C and 55% RH
- Working time: 15 to 20 minutes depending on environmental conditions







## DG3X9 **Dry Glaze Tape**

- Self Adhesive
- Available in Black & White
- 3mm x 9mm
- Can be used with Qwood GB1
- 150m Coil







## Isopropyl Glass Cleaner

- Easy to use 100ml tubs
- Excellent cleaning properties
- 99% strength
- 1L Bottle shown

#### **WHY USE?**

- Clean glass to original substrate
- Allows for better adhesion of glazing tapes
- · Less de-lamination of tapes



## TIMBA290 TimbaGlaze Glazing Sealant

- Solvent Free
- UV and weather resistant
- High Strength & Durability
- Paint-able and Stain-able
- For any type of glazing unit
- No shrinkage maintains a strong elastic bond
- 290ml Cartridge









#### **Glazing Packers**

- Colour coded glazing packers
- Sold and priced per 1000

CODE	THICKNESS
GP241001	1mm (green)
GP241002	2mm (black)
GP241003	3mm (white)
GP241004	4mm (grey)
GP241005	5mm (blue)
GP241006	6mm (red)





## **Capex and Cresfinex**

Capex is a relatively easy system to use on Conservatory roofs and roof Lanterns manufactured in Timber. Predominantly sold in Brown, White, and Mill (Can be powder coated). Made up of many products and components Capex is the most comprehensive system available to the industry and is the market leader.

SDH has over 50 years of combined experience in assisting and advising joinery companies when ordering the correct components to create the required system. We can work off technical drawings to specify a list of components so please email or fax our sales staff and we will be happy to help.

- Knowledgeable and helpful staff to help build your required system
- 5 to 7 days delivery from confirmed parts order
- Separate detailed catalogue listing all components available





PRICE ON APPLICATION

# THE ANSWER TO PART Q... THE TIMBER WINDOW & DOOR INDUSTRY HAS BEEN LOOKING FOR!

The elephant in the room for Joineries is Part Q, and it's time that something was done about it, for the sake of the industry.

For years Part Q has been a headache for Joiners making windows and doors for new builds and extensions, as there's a lot of misinformation and misunderstanding out there. With the impending implications of Part Q being brought in for the refurbishment market, it's something we believe Joiners desperately need help with. Not a scheme or membership that is there to make a profit.

SD Hardware has played a crucial role in bringing together Accoya wood, ERA, and Midland Joinery Services to ensure compliance with Part Q of the Building Regulations. This is something we're giving away to the joinery industry for **FREE.** 

This document provides all the necessary details to ensure compliance with Part Q. Including details from our PAS24 tests, which will serve as the blueprint for achieving compliance.







For each type of window and door project, we have a document stating the section details and hardware used during the PAS 24:2022 tests as part of 'The Part Q Blueprint'. Follow these guidelines to ensure our products comply to Part Q requirements.



## Complete a Part Q Blueprint Certificate

A certificate is to be completed for all Part Q jobs providing a job reference number. This number will be used as a reference to link the job to any hardware purchase orders/invoices. If required, you can then show proof that the hardware used is the same as required as part of the blueprint.



## Apply stickers to relevant windows or doors

When each job is completed, stickers should be applied to each window and door that is required to comply with Part Q. This provides a visual cue for building inspectors when checking for compliance. A job reference should also be added for ease of administration.

## Anatomy of a Casement Window

and what **SDH** can supply

- 1. Espagnolette Bolts
- 2. Friction Hinges
- 3. Accessories and Security
- 4. Trickle Vents

5. Furniture



We have all bases covered at **SDH** when you're looking for the products needed to manufacture a casement window.


Please get in touch and we'll be happy to help with your next window project.



#### Flush Tongue Retractable Espagnolette

This retractable tongue espag is more comprehensive and secure than other products currently on the market. With its greater range of sizes, a more positive gearbox, 17mm solid die-cast tongues, and a corrosion-resistant finish. This product has been designed to cater to the traditional square edge flush casement that requires a high-security locking system.

**TESINK** 



#### **WHY USE?**

• 25 or 30mm backset

• Shallow Euro groove

Positive gearbox

• 16mm Faceplate

- Single or nightvent keeps
- Super coat 500 corrosion tested to 30,000 cycles

	350mm	540mm	740mm	940mm	1140mm	1340mm	TENVI
Part Code	TE350 BS30/25	TE550 BS30/25	TE750 BS30/25	TE950 BS30/25	TE1150 BS30/25	TE1340 BS30/25	Tongu Espag Ni
Keeps required	2	2	2	3	4	4	Vent Ke

**TENVK** 

**TESINK** Tongue light Espag Single Keep

550



DETAILS ON PAGES 6-7

NEW

#### **Double Cam Window Lock**

A simple, straightforward high security window lock solution, tested to PAS 24:2022 in Accoya.

- Up to 3 sets of unidirectional double locking cams
- · Central anti-lift pin provides additional security to prevent jemmying
- Available in sizes 230mm 1200mm
- Non croppable quick and easy to install locking solution
- Cams can be adjusted with an Allen key to fine-tune compression
- Available in either a 20mm or 22mm backset
- Non Handed



\*No central cam

	230mm	400mm	600mm	800mm	1000mm	1200mm
Part Code	ERA230	ERA400	ERA600	ERA800	ERA1000	ERA1200
Sash Rebate (mm)	250-400	451-650	651-850	851-1050	1051-1250	1251-1450
Keeps required	2*	2*	2*	3	3	3

**ERA-ALB** 

Maco Security Keep (see below)

MA359381

Anti-Lift Pin Lock (see below)


**ERA-ALB** 

## MA359381 **Maco Security Keep** This keep has 3 fixing points that increases its security especially in PAS 24 testing • 8mm high • 3 fixing points • 35 x 50 x 8mm 50














	MA11263	MA58177	MA58160	MA58162	MA58164	MA94275	MA94310
DESCRIPTION	22mm Lock Box	320-400mm ext, no mushroom*		801-1100mm ext x 2 mushroom cams per ext*	1101-1400mm ext x 2 mushroom cams per extension	Mushroom Strike (Quantity dependent on sash size)	Shootbolt Strike

CONTACT US OR LOGIN ONLINE FOR TRADE PRICES






#### **Roto Twin Cam Espagnolette Bolt**

Roto hardware is coated as standard with the best-in-class NanoSil Level 6 surface protection. The micro crystalline structure is designed to provide protection to parts such as rivets and hinge components as well as flat surfaces. This market-leading coating copes with extreme fluctuations in temperature and humidity easily exceeding all current UK corrosion resistance criteria.

Roto hardware has been tested and approved for use with Accoya wood.





### SDH-SMK Single Mushroom or Roller keep

· Ideal for slim rebates



#### MA356088 Flat Security **Stabilising Plate**

Silver finish




#### MA359381

#### **Maco Security Keep**

This keep has 3 fixing points that increases its security especially in PAS 24 testing

- 8mm high








#### MA94267

#### **Maco High Security Timber Night Vent Keep**

• 2 x 15mm x 6mm metal dowels for added security

- 1 fixing point
- Night vent facility
- 3 fixing points • 35 x 50 x 8mm
- 50 28.5






#### ESP-K6

#### **Low Height Keep**

This keep has been designed for the industry where tolerances are tight

- 6mm height



**CONTACT US OR LOGIN ONLINE FOR TRADE PRICES** 



#### From our blog.



# WHY MANUFACTURE FRENCH CASEMENT WINDOWS WITH A FLYING MULLION?

Timber French windows are a popular choice for many homes throughout the UK, as they provide a timeless look, especially for older period-styled properties. Producing French casement windows with two sashes and a fixed centre mullion is one option when manufacturing a French window. However, not only does the centre mullion obstruct your view when both windows are open, it can also obstruct access, especially if the opening is required as a fire escape route. A solution for this is to manufacture a French window with what is referred to as a "flying mullion", where instead of the mullion being part of the window frame, it is attached to a slave sash. When the window is closed, it looks like a normal French window and when both sashes are opened, there is an uninterrupted view and more importantly (when access is concerned) a wide enough opening to escape in an emergency. Fire regulations state that the minimum opening aperture should be 330mm width x 750mm height.


To achieve this style of window, during the manufacturing process the mullion would be machined separately and then screwed to the slave sash. Both the slave and master sashes would have their own




Joinery by: JTP Joinery

locking mechanisms and be fixed to the frame using friction hinges. If the window is to be used as a fire escape, then egress friction hinges would be recommended to maximize the width of the opening. For the locking mechanisms, we would recommend using the Excalibur Shootbolt system. On the slave window, you would use the Excalibur no claw option. Using the no claw option will allow you to fix the mullion to the slave window with a spacer block in between, as shown in the section drawing below. This slave window should be locked into position by shootbolts into thimble keeps located in the frame. For locking the master window there are a few options.








You could use the claw version of the Excalibur shootbolt system, with stormproof keeps fixed to the surface of the flying mullion. Other options include the Maco MK1, Maco Inline, or the Vanguard Standard. In the section drawing above there are suggestions for other products we recommend when producing this type of window.

If you're externally glazing your windows, we would recommend using the Qwood QW-SD3 Clip in Glazing Bead, and if internally glazing we recommend the Qwood QW-SD4 Clip in Glazing Bead.

For more information on tooling for manufacturing the flying mullion section please contact Whitehill Tooling.







#### Gearbox

CODE	DESCRIPTION		
EXGB22	Excalibur Gearbox 22mm backset		
EXGB25	Excalibur Gearbox 25mm backset		
EXGB22-PAS24	Excalibur PAS24 Gearbox 22mm backset		
	NO CLAW OPTION FOR FRENCH REBATED WINDOWS		
EXGB22-NC	Excalibur Gearbox 22mm backset (NO CLAWS)		
EXGB25-NC	Excalibur Gearbox 25mm backset (NO CLAWS)		





#### **Extensions**

CODE	DESCRIPTION
EXEXT1	Excalibur Extension 300 to 440mm (x2 required)
EXEXT2	Excalibur Extension 430 to 700mm (x2 required)
EXEXT3	Excalibur Extension 690 to 950mm (x2 required)
EXEXT4	Excalibur Extension 950 to 1210mm (x2 required)
EXEXT5	Excalibur Extension 1210 to 1470mm (x2 required)

## **Centre Keeps**

	CODE DESCRIPTION				
1	EXCLKEEP-CENTRE	Excalibur Centre Lock Keep 8mm Stormproof			
2	EXCLKEEP-FLAT	Excalibur Centre Lock Keep Flat Flush			
		POCKETED KEEPS			
3	SDH-CNV-POK	Excalibur Centre Pocket Keep Flat Flush Night Vent			
4	SDH-SIN-POK	Excalibur Centre Pocket Keep Flat Flush Single			

## Shoot Bolt Keeps

		•
	CODE	DESCRIPTION
1	EXSBKEEP-FLAT	Excalibur Shoot Bolt Keep Flat Flush
2	EXSBKEEP-LH	Excalibur Shootbolt Keep 8mm Stormproof L/H
2	EXSBKEEP-RH	Excalibur Shootbolt Keep 8mm Stormproof R/H
3	EXSBKEEP-PQ-L	PAS24 Security Stormproof Shootbolt Keep L/H
5	EXSBKEEP-PQ-R	PAS24 Security Stormproof Shootbolt Keep R/H
		POCKETED KEEPS
4	SDH-SBK-POK	Excalibur Shootbolt Pocket Keep 4mm Flush Night Vent

## **Accessories for PAS24**

	CODE	DESCRIPTION
1	EX7DEG-LH	Excalibur 7 Degree Shootbolt Wedge - Left Hand
'	EX7DEG-RH	Excalibur 7 Degree Shootbolt Wedge - Right Hand
2	MA356088	Flat Security Stabilising Plate - Silver










#### **DSL**

#### **Dummy Sash Lock**

- · Retention of dummy sashes with no fixings
- Sash easily removed and locked back in position
- Works for performance windows with 12mm tolerance
- 1 set comprises of 5 components to fit one corner of each sash
- Use 2 sets with friction hinges or 4 sets without (one in each corner)
- 1 pack has 20 corner sets (for 5 or 10 windows)






#### HCD1

#### **Hinge Compression Device**

- Compression devices for Top Hung window (located on side of windows)
- 1 set comprises of 4 components to fit 1 sash
- Increases performance of weather tightness on top hung windows
- Can be fitted as remedial product
- Universally fits 12mm tolerance performance window
- Available in Brown or White



SCREW HOLES LINE UP WITH EACH PART




#### **Hinge Compression Device**

- Compression devices for side hung windows
- 1 set comprises of 2 components
- · Located on the hinge side of the sash/frame
- Universally fits 12mm tolerance performance window
- · Available in Brown or White







#### **Nico Heavy Duty Hinge**

The Atlas Heavy Duty Friction Hinge range meets the increasing demand for larger and heavier windows. Top and side hung hinge variants accommodate sash weights of up to 60kg for Top Hung windows and 35kg for Side Hung windows. Increased bar thicknesses and additional fixing holes provide maximum stability and allow easy adjustment.

- Max. Vent weight of 35kg for Side Hung
- Max. Vent Weight of 60kg for Top Hung
- Stainless Steel riveted nose cap gives strength and reliability
- · Glass reinforced nylon slide eliminates breaking and wear
- · Brass adjustment screw provides adjustable friction
- 10 year mechanical guarantee
- 14mm Stack Height

#### WHY USE?

- Carries heavier weights than standard hinges
- has exceptional corrosion











#### **Yale Fricton Hinge**

- Made from ferritic stainless steel
- 13mm stack heights
- Compatible with PVCu, timber and aluminium windows
- Endurance tested to 20,000 cycles
- Corrosion tested to 96 hours NSS
- Tested to BS 6375 Parts 1 & 2 for window performance: BS 6375-1:2015 classification for weather-tightness and guidance on selection and specification
- Tested to BS EN 1670
- Grade 3 corrosion resistance



YEAR MECHANICAL GUARANTEE

• Secured by Design compliant when fitted with Yale ancillary security devices

• Most recognised brand in home security

Delivers performance at a very competitive price



lop i	Hung		Side Hung	Univ	ersal
тн	YALFH20TH	YALFH24TH	YALFH16SH	YALFH8T/SH	YA

	YALFH10TH	YALFH16TH	YALFH20TH	YALFH24TH	YALFH16SH	YALFH8T/SH	YALFH12T/SH
Size	10"	16"	20"	24"	16"	8"	12"
Max vent weight	16kg	21kg	24kg	35kg	24kg	12kg	22kg
Max vent height	400mm	700mm	780mm	1000mm	1200mm	350mm (IF TOP HUNG)	550mm (IF TOP HUNG)
Max vent width	-	-	-	-	-	400mm (IF SIDE HUNG)	600mm (IF SIDE HUNG)

#### **Nico Egress Restricted**

The Nico Restricted Egress Friction Hinge combines the features of standard restrictor and egress only hinges. It provides protection against falling through windows in an initial restricted mode, and then offers a quick escape route in the event of a fire in the egress position.

• 13mm stack height

EACH PAIR OF HINGES HAS ONE RESTRICTED AND ONE NON RESTRICTED FOR EASE OF USE

#### WHY USE?

 Child-resistant catch release for full opening, with automatic reset on closure

• BSI, BBA & SBD approved









#### Side Hung

		•
	NIC8431	NIC8441
Size	12"	16"
Max vent weight	22kg	26kg
Max vent	600mm	700mm

#### **Cotswold Egress Easy Clean**

Easy to operate to easy clean mode all from handle, no man handling sash.

- $\bullet$  Full opening to  $90^\circ$
- Conforms to BS6375 1&2
- Stainless Steel
- Plastic end caps
- BBA approved
- 13mm stack height

#### **WHY USE?**

- Unique fitting position mode
- Best easy clean operation
- Competitive







Side Hun	Ŋ
----------	---

	5.00	. 14.1.9		
	COT-12-EE	COT-16-EE		
Size	12"	16"		
Max vent weight	18kg	21kg		
Max vent height	1200mm	1200mm		
Max vent width	600mm	600mm		

#### **Mega Egress Easy Clean**

Some call these hinges 'Sumo' or 'Triad', however the trade name is 'Mega'. Both hinges can alleviate the binding issue associated with friction hinges and flush casement profiles.

- Stainless Steel parts Grade 430
- Plastic parts GF Nylon
- Tested to BS EN 1670
- Tested to EN1191
- Open to full 90°

Top brand

Variable friction adjustment

• Consistent performance

- 13.5mm stack height
- Immobilizer to be fitted to easy clean sash width of above 600mm







- 8" perfect for
- French Casements
- Simple easy clean facility




<u> </u>	Side Hung ————————————————————————————————————				
	QEGE8 (Egress Only)	QEGE13			
Size	8"	13"			
Max vent weight	33kg	40kg			
Max vent	600mm	900mm			



#### **Window Restrictor**

This product is perfect for creating friction and restriction on windows and doors where there is not enough clearance to use a Friction hinge.



- Manufactured in the UK
- Fits in standard Euro groove
- Adjustable friction control
- Solid stainless steel construction
- No disengagement (permanent restriction)
- Non handed

Yale



!	Side I	Hung ———
	SECEO12	SECEO16
Size	12"	16"
Max vent weight	22kg	24kg
Max vent width	400mm	700mm

-	Side Hung			
	RS6	RS10		
Size	6"	10"		
Max vent weight	22kg	24kg		
Max vent width	400mm	700mm		

#### **Defender Timber Variant**

The UK's premium friction hinge for timber windows.

- Handed for better compression
- · Low timber variant end cap for less binding
- 10 year guarantee
- Tested to 30,000 cycles
- 13mm stack height
- Side or top hung
- 304 Ferretic



· ·	Top Hung				· Side Hung Universal			
	SECTH10	SECTH12	SECTH16	SECTH20	SECTH24	SECSH12	SECSH16	SECT-SH08
Size	10"	12"	16"	20"	24"	12"	16"	8"
Max vent weight (kg)	16kg	20kg	21kg	26kg	40kg	22kg	24kg	12kg/18kg
Max vent height	400mm	550mm	780mm	1100mm	1300mm	-	-	350mm
Max vent width	-	-	-	-	-	600mm	700mm	400mm

#### **Royal Hinge** Easy Clean Egress

This hinge works well on flush casement performance windows where binding is an issue.

- 14mm stack height
- Includes easy clean facility
- Stainless Steel
- Safer than most egress stays
- Incorporates a positive mechanical stop
- Maximum sash width of 900mm
- 14mm stack height



Side Huna **ROY14EE** 14" Size Max vent 45kg weight Max vent 900mm width




#### Max 750mm 1200mm 1200mm 1200mm 1200mm 1200mm 600mm 600mm 600mm width FHS4325

#### **FHP**

#### **Hinge Packer**

 Designed for bevelled cill of 6-7 degrees to square friction hinge

410mm length





## **Friction Hinge Screws**

- Specially designed for friction hinges
- Sold and priced per 1000
- 4.3mm x 25mm
- Other sizes available
- Austenitic

#### **Riser Block**

Helps the sash locate correctly into the frame, usually fitted to the hinge side it can help correct out of line sashes on casement windows.

- White or brown
- L35 x W25 x H12mm
- · Aids security (Used in PAS24 test)



**RUB-WH/BR** 



#### **Stainless Steel Window Restrictor Stay**

- 102mm x 16mm x 62.5mm
- Provides an add-on security solution that can be retrofitted
- · Available in left or right hand options Includes 9.5mm stud
- Grade 5 Corrosion Resistance (480 hours)





#### **Key Locking Restrictor & Pin**

- Automatic locking
- Automatic engagement
- Concealed fitting
- Restricts sash to 100mm opening
- Dedicated key release
- Retro fitting option
- Suitable for all window styles: PVCu, Aluminium & Timber
- Conforms to BS EN 14351:2006 Clause 4.8
- Constructed from stainless steel and zinc alloy
- Handed



Restrictor VLR-LH/RH Pin **VLR-PIN** 



#### SAC Bolt & Keep™ Side Security System

The SAC Bolt & Keep is the only single product that can improve window performance all year round

- Improves security
- Improves weather and sound insulation
- Improves hinge reliability
- Improves closing operation of the window
- A cost effective security upgrade that can really make a difference
- For hinged side of window






#### Vanguard Security Lockable **Window Restrictor**

• Strength tests to forces over 100kg when the cable is locked in the mechanism (the industry standard is 50kg!)

- Stainless Steel wire
- · Complete with key





**CWR** 

#### **ERA Sash Jammer Kit**

- Easy to install with or without the need for additional locking (Key provided).
- Local Authorities and Housing Associations recommend it to boost domestic security.



WHITE: ERA-7A002 BROWN: ERA-7A005

#### ASD1 **ASD Security Device**

- Yale
- · For securing hinged side of sash
- Tested and exceeded PAS24
- 10 Year technical guarantee





#### **MA1236 Maco™ Surface**



- Great for retro fit
- Non-handed
- · Available in white



#### **Roto Tilt & Turn**

We are able to quote for Roto invisible Tilt & Turn. Tight Sash rebate sizes required.





**CONTACT US OR LOGIN ONLINE FOR TRADE PRICES** 








#### Yale Slim Vent Trickle Vent & Canopy Set

- Meets the requirements of revised Document F (England & Wales) and Scottish Building Regulations Standard 3.14
- Tested at BRE to EN13141-1:2019 and BS EN ISO 10140-1
- Easy fixing: Clip-fit (for UPVC) or screw fix (for timber)
- Strong ASA construction
- Yale 10 Year mechanical guarantee
- Yale 1 Year surface finish guarantee
- Trickle Vent and canopy
- 2500mm<sup>2</sup> EA (252mm x 21mm) or 4000mm<sup>2</sup> EA (386mm x 21mm)

Available Finishes: White, Black or Anthracite Grey







screw fix

Scau for prices



2500<sup>2</sup> EA YSV2500

4000<sup>2</sup> EA YSV4000

TECHNICAL DRAWINGS AVAILABLE, PLEASE ASK FOR DETAILS.

#### **Titon SF Xtra** High Performance Aluminium Vent

The SF Xtra is a high performance, surface mounted aluminium slot ventilator. It is the shortest vent available to provide 5000mm<sup>2</sup> EA.

- Simple construction to aid painting, self-assembly & fitting
- For use over a 13 or 16mm slot
- Gasket combines with compression closing action improves sealing in adverse conditions
- Ideal for retrofit applications, over a slot or series of holes
- Available in White, Brown, Black and Anthracite Grey (Special order)

Scau for prices





SFX13 4000<sup>2</sup> EA SF418 Canopy **TA5005** 



#### SCAN FOR TRICKLE VENT PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/window-hardware/trickle-vents



CANOPY





#### **Trimvent 90 Hi Lift**

- Semi-recessed aluminium slot ventilator that fits over a 16mm slot
- Ideal for both new build or refurbishment jobs
- Felted gasket for increased performance
- · Available in white, brown or (black & other colours special order)

TV90-250 (Equivalent Area Airflow of up to 2200mm<sup>2</sup>) 300mm (250 x 22mm) Slot size (212 x 16mm)

TV90-300 (Equivalent Area Airflow of up to 2500mm<sup>2</sup>) 300mm (300 x 22mm) Slot size (262 x 16mm)

TV90-425 (Equivalent Area Airflow of up to 4300mm²) 425mm (425 x 22mm) Slot size (387 x 16mm)

TV90-250 TV90-300 TV90-425



#### **Trimvent 90 Hi Lift & Trykvent Canopy**

- Canopy to suit above Trimvent 90 vent & Trykvent
- Features integral screw covers
- Available in white, brown or black (other colours special order)
- Special ral colours available to order

TV90C-263 - 263 x 24mm TV90C-303 - 303 x 24mm **TV90C-441 -** 441 x 24mm

TV90C-303 TV90C-263 TV90C-441





#### **Trykvent**

- Specifically designed for high performance timber windows
- Easily removed without damage to product
- High quality, robust operating mechanism
- Available in White or Brown
- Available in 2 sizes
- XC16 Canopy, PG16 or GN16 Grilles can be used with this vent as an option
- Can be used with TV90 Canopy (above)

TRK283 (Equivalent Area Airflow of up to 3000mm<sup>2</sup>) 283mm (283 x 27mm) Slot size (151 x 10 x 151 x 16mm)

TRK389 (Equivalent Area Airflow of up to 4300mm²) 389mm (389 x 27mm) Slot size (226 x 16mm)

**TRK283 TRK389** 



#### **GN16 Grille**

- Grille to fit XS16 & XR16 (2 x 148mm)
- Push in grille for 16mm slot
- Available in Brown or White
- Priced per pair



#### Flat Aluminium Grille

- Suitable for use with TV4000 Trickle Vent
- 380mm x 22mm
- Available in White or Brown
- Priced per pair



#### Titon TV90 Flat Grille



· Aluminium Construction

• Flat Grille

• Suitable for use with the TV90 435mm Trickle Vent

• 435mm x 30mm



**GN16-GRILL** 

White TA751-020

**FAX:** 01752 253823

TA751-002


White

TH275-020



## **Trimvent Select XS16/XS13/S13**

- Surface mounted vent
- Sleek design
- Available in Brown or White
- Easy operation
- Overall slot size: XS16: 312 x 16mm, **XS13:** 367 x 13mm **S13:** 223 x 13mm
- Airflows: XS16: 4600mm2 XS13: 4400mm2 S13: 1700mm2



#### **XS16VENT** XS13VENT


#### **XR16VENT**

#### **Trimvent Select XR16**

- Flush fit recessed vent
- Available in White, Brown, Black and Anthracite Grey

XS13

- Easy operation
- Product length: 351 x 22mm
- Overall slot size: 312 x 16mm (22mm recess)
- Equivalent Area Airflow of up to 4600mm<sup>2</sup>




#### **Trimvent Canopy XC16/XC13/C13**

- Canopies to fit XS16 & XR16
- Available in Brown or White









#### **Titon SW Flat Grille**

- Aluminium Construction
- Flat Grille
- 472mm x 22mm



#### **Trimvent 4000 Hi Lift Vent**

This range of vents are manufactured from aluminium giving your window a high end feel. Manufactured by Titon™

TVV2000HL 2200mm<sup>2</sup> Equivalent Airlow TVV4000HL 4000mm<sup>2</sup> Equivalent Airlow

Slot size Vent 174x20x174mm (13x368mm) Slot size Canopy (13x354mm)

Available in Black, Brown and White.

Use with TV90C Canopies





Vent TVV2000HL TVV4000HL







## **Timber Series Guru Cranked Locking Window Fastener**

The Timber Series Guru Locking Window Fastener is suited to the timber series range and has a classic design with a contemporary twist to create an elegant and stylish window.

- Left and right hand available
- Heavyweight locking handle with solid die-cast construction
- Perfectly matching slimline and standard keeps available
- Match with the Timber Series collection of stays
- Supplied with colour-coordinated screws
- BS EN 1670:2007 Grade 5 (480 hours) Corrosion Resistance
- Tested to in excess of 50,000 cycles
- Grade 5 Corrosion Resistance (480 hours)
- Keep sold seperately

















Handle **GURU**  Keep
GURU-KEEP

#### **Timber Series Fastener**

- Solid die-cast construction
- Supplied with matching fixings
- Tested to 50000 cycles
- Non-Handed

Available in Hardex Gold, Hardex Chrome, Premium Satin, Black, Hardex Bronze, Antique Black & White





**480hrs** SALT SPRAY GUARANTEE





**TSNLF**NON-LOCKING



















SOXCH

#### Stainless Steel Non-Espag Handle

- Handed
- Locking
- Complete with mortice plate screws
- Night vent position on mortice plate option



#### L110010

# Cascapol Non-Foaming Waterproof Joinery Wood Glue

- Formulated to bond modified timbers (Accoya)
- Solvent & Water Free
- 100% Adhesive
- Easy cleaningD4 Waterproof
- Non-Foaming
- Chemical Resistant
- Bonds in 10mins
- Odourless

750g



NEW

#### SOXHP

#### **Hook Plate**

• To suit flush window profile

#### **Timber Series Monkey Tail Window Stay**



#### **Timber Series Tear Drop** Window Stay



- 10" Tear Drop Operating Stay Bar
- Suitable for both left and right-handed windows
- Supplied with matching fixing screws
- · Available in Hardex Gold, Hardex Chrome, Antique Black and Graphite







- 10" Tear Drop Operating Stay Bar
- Suitable for both left and right-handed windows
- Supplied with matching fixing screws
- · Available in Hardex Gold, Hardex Chrome, Antique Black and Graphite



TS-TDS

























**TIMBER**SERIES



#### **Timber Series Stay**

- Locking or Non-Locking
- · Non-handed: will fit left and right-hand windows
- Supplied including machine screws
- Length: 279mm
- Width: 16mm

Available in Hardex Gold, Hardex Chrome, Premium Satin, Black, Hardex Bronze, Antique Black & White









TSLS LOCKING **TSNLS** NON-LOCKING



















SOXSTAY260

#### **Stainless Steel Stay**



· Complete with 2 pins and screws



MS-M5-40

#### **Stainless Steel (Marine Grade) Machine Screws**



- Recommended for use with Accoya
- Replacement for mild steel screws supplied with window handles













PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW PRICES.

or visit: www.sdhardware.co.uk and enter the product code in the search bar. Please make sure you are logged in first to view trade prices.





CH-MT/TD-LH/RH


#### **Monkey Tail or Tear Drop Espag Handle**

- Exceeds BSEN1670 Polished Chrome (PC), Smokey Chrome (SM), Black (BL) & Mottled Grey (MG)
- Complete with 40mm spindle and machine screws

YEAR MECHANICAL **GUARANTEE** 

**240hrs** SALT SPRAY TESTED

- Matching stays available (below)
- · Lockable with key
- Handed





- 40mm spindle length
- Grade 5 (480 hours) for Corrosion Resistance
- Includes matching fixings
- Tested to PAS 24:2012
- Available in Hardex Gold, Hardex Chrome, Antique Black and Graphite
- Key included
- Handed







**TIMBER**SERIES

Monkey Tail **TS-MTEL** 













NEW

#### **Timber Series Tear Drop Locking Espag Window Handle**



• Grade 5 (480 hours) for Corrosion Resistance

• Includes matching fixings

• Tested to PAS 24:2012

• Available in Hardex Gold, Hardex Chrome, Antique Black and Graphite

- Key included
- Handed









Tear Drop TS-TDEL









#### **Devoran Monkey** Tail Espag Handle

- Narrow back plate (18mm)
- Locking
- Complete with screws
- 40mm spindle
- Handed
- Matching Stay available



Black **DEV-ESP**  Pewter **DEV-ESP** 



SOX-ESP

#### **SOX Stainless Steel Espag Handle**

- Contemporary round bar design
- Complete with 35mm spindle and machine screws
- Locking
- Handed
- Matching Stay available





## Timber Series Connoisseur MK1 Offset Espag Handle

- Available in Satin Chrome, Hardex Chrome, Hardex Gold, White and Black
- Complete with machine screws
- Finish swatches below
- 40mm spindle
- Handed

TSECLH/RH SC/HC/HG/WH/BL





## Timber Series Connoisseur MK2 Offset Locking Espag Window Handle

- Solid die-cast construction ensures durability with heavyweight and sturdy feel for a reliable grip
- · Heavy-duty sprung latching wedge adds extra security
- Long handle provides greater leverage and smooth operation without hand catching
- Cover caps with a colour-coordinated finish for a polished look
- Certified by Secured By Design for enhanced security
- Key included clicks securely into place upon insertion
- Comes with a complete screw and spindle pack for easy installation
- Handed

**Available in the following finishes:** Anthracite Grey, Antique Black, Black, Graphite, Hardex Bronze, Hardex Chrome, Hardex Gold, Rose, Premium Satin, White











**TSEOF** GRA/HB/HC/HG/RO/ABL/ WH/BL/A/SA

## Timber Series Connoisseur MK2 Inline Locking Espag Window Handle

- Solid die-cast construction ensures durability with heavyweight and sturdy feel for a reliable grip
- Heavy-duty sprung latching wedge adds extra security
- Long handle provides greater leverage and smooth operation without hand catching
- Cover caps with a colour-coordinated finish for a polished look
- Certified by Secured By Design for enhanced security
- Key included clicks securely into place upon insertion
- Comes with a complete screw and spindle pack for easy installation
- Non-Handed

**Available in the following finishes:** Anthracite Grey, Antique Black, Black, Graphite, Hardex Bronze, Hardex Chrome, Hardex Gold, Rose, Premium Satin, White





**TSEIL** GRA/HB/HC/HG/RO/ABL/ WH/BL/A/SA





#### FOR FULL PRODUCT RANGE, TECHNICAL DRAWINGS & IMAGES OF ALL FINISHES PLEASE VISIT

sdhardware.co.uk/brands/devoran





1 DEVMTST8/10/12PE

DEV90-PE-8/10/12

Pewter Shepherd's Crook Stay

8 Inch, 10 Inch or 12 Inch

Pewter Monkey Tail Stay 8 Inch, 10 Inch or 12 Inch 2 DEVMTST8/10/12BL

Black Monkey Tail Stay 8 Inch, 10 Inch or 12 Inch 6 DEVMTFPE

Pewter Monkey Tail Fastener

8 Inch, 10 Inch or 12 Inch

6 DEVMTFBL

Black Monkey Tail Fastener



4 DEVLFE

Black Monkey Tail Lockable Fastener 5 DEV9

Pewter Shepherd's Crook Fastener Devoran Antique Hardware is a collection of competitively priced window & door furniture for properties requiring traditionally styled ironmongery.



7 FA-LOCK-PIN (PW)

**Locking Pins Black or Pewter**  DEV105-BL

**Black Bulb End Stay** 

DEV105-PE

**Pewter Bulb End Stay** 8 Inch, 10 Inch or 12 Inch



DEV106-BL

**Black Bulb End** Fastener

DEV106-PE 11


> **Pewter Bulb End Fastener**


DEVBUFBL

**Black Swirl End** 

This collection of Brass window furniture offers a range of styles and finishes that are functional and competitively priced.

Traditionally designed and manufactured, available in a variety of finishes.





#### Teardrop Espag handle

- Handle Length: 127mm
- Fixing Plate: 55mm x 16mm
- Available in 4 finishes

FROM THE ANVIL



20463







DIFFERENT PEAR DROP STYLES AVAILABLE

#### Peardrop Espag handle

- Handed
- Handle Length: 115mm
- Fixing Plate: 66mm x 20mm
- Available in 2 finishes

FROM THE ANVIL



RH - 33683 LH - 33682



RH - 33298 LH - 33297

#### Shepherd's Crook Espag handle

- Handed
- Handle Length: 103mm
- Fixing Plate: 66mm x 20mm
- Available in 2 finishes

FROM THE ANVIL



RH - 33602 LH - 33603



RH - 33957 LH - 33958

#### Reeded Espag Handle

- Very stylish, made from Solid Brass
- 69mm x 15mm fixing plate
- Complete with 40mm spindle fixings
- Handed

#### Finishes available:

Aged Brass (83913/5) Polished Nickel (83914/6) Polished Chrome (90331/2) Aged Bronze (83972/3) Polished Bronze (91942/3) Polished Brass (46709/10)



#### Newbury Espag Handle

- Very stylish, made from Solid Brass
- 69mm x 15mm fixing plate
- Complete with 40mm spindle fixings
- Handed

#### Finishes available:

Aged Brass (91443/4) Polished Nickel (91457/8) Polished Chrome (91450/1) Aged Bronze (91464/5) Polished Bronze (91953/4) Polished Brass (46527/8)



#### Brompton Espag Handle

- 68mm x 16mm fixing plate
- Complete with 40mm spindle fixings
- Handed

#### Finishes available:

Black (46163/4) Matt Black (46165/6) Pewter (46167/8) Aged Brass (45503/4) Polished Nickel (46161/2) Polished Chrome (46159/60) Aged Bronze (46169/70) Polished Bronze (46171/2) Polished Brass (50613/4)



FROM THE ANVIL

A FROM THE ANVIL

A FROM THE ANVIL

#### **Hinton Espag handle**

- Handle Length: 142mm
- Fixing Plate: 69mm x 16mm
- 43mm centres
- Left or Right hand available



45349/50 Aged Brass



45351/2 Polished Chrome



45353/4 Polished Nickel




45357/8 Polished Bronze




45355/6 Aged Bronze



46701/2 Polished Brass



WE CAN SOURCE ALL **ANVIL** PRODUCTS AT **COMPETITIVE PRICES**, PLEASE ASK FOR PRICES.









WE CAN SOURCE ALL ANVIL PRODUCTS AT COMPETITIVE PRICES, PLEASE ASK FOR PRICES.

# Heritage Brass

M. Marcus's signature brand, Heritage Brass, is renowned for exquisitely designed high quality products spanning door hardware, cabinet hardware, and electrical accessories. From conception to the current day, Heritage Brass continues to expand its ranges with timeless designs and extraordinary finishes to provide customers with ultimate choice and flexibility. Heritage Brass products provide a final touch of elegance to any interior.



HERV992-8/10/12 **Bulb End** Non-Locking Stays Available in 8", 10" & 12"







HERV1005W **Heritage Spoon End Locking Fastener** Weather Stripped Version

Allen key locking

**HERV1008 Heritage Ball End Non-Locking Fastener** 

Suitable for weather strip windows

HERV1003 **Heritage Spoon End Non-Locking Fastener** 



POLISHED CHROME













**PREMIUM FINISHES** 

#### **Sliding Window Kit**

Yorkshire Slide 25 is suitable for lightweight single sliding panels up to 25kg in weight. Available as either a single panel or double panel bi-passing kit.

Kits include 1800mm track and channels, guides and rollers, of which have very smooth bearings. Kits can also be used as light duty room divides / hatches.

- Yorkshire Sliders
- Complete with tracks, rollers, guides and fixings
- For sashes up to 600mm or 900mm wide
- Light duty
- 1 Moving Sash Price YORKSHIRE-600
- 2 Moving Sash Price YORKSHIRE-900
- \*2 Moving Sash kit shown in image\*



## Yorkshire Heavy Duty Sliding Window Kit

Yorkshire Heavy Duty Sliding Window kit is suitable for single sliding panels. The kit includes both bottom track and top channel, heavy-duty guides and heavy-duty rollers. This kit supports windows up to 200kg.

If using on Windows, we also recommend the Excalibur Flush Window System.

- Yorkshire Sliders
- Complete with tracks, rollers, guides and fixings
- Available with 1800mm or 3000mm tracks
- Heavy duty (Supports windows up to 200kg)

1800mm Track
YORKSHIRE-HD-1-1800

3000mm Track
YORKSHIRE-HD-1-3000





#### SCAN FOR YORKSHIRE SLIDING KIT PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/window-hardware/sliding-and-folding-windows






## Anatomy of a Timber Door


## and what **SDH** can supply

- 1. Front Entrance Door Locks
- 2. Stable Door Locks
- 3. French Door Locks
- 4. Door Keeps


- 5. Shoot Bolts
- 6. Cylinders



#### **FRENCH DOORS**




#### **STABLE DOORS**



We have all bases covered at **SDH** when you're looking for the products needed to manufacture timber doors.

Please get in touch and we'll be happy to help with your next door project.






**ERA2D45 or 35** 

#### **Era 2 Hook Bolt Front Entrance Door Lock**

This very popular Timber multipoint door lock offers a very high level of security with easily adjustable keeps.

- Stainless Steel Faceplate 16mm
- Designed to meet and achieve PAS 24 in Timber
- 2 High security Tapered Hook Bolts35 or 45mm backset with sprung gearbox
- Bi-Directional gear box
- Split spindle built-in
- · Snib latch hold back
- Non-handed
- Easy screwdriver adjustable keeps that stay adjusted
- 92mm centres





**ERA2H45 or 35** 



#### **LOCK COMPONENTS**

CODE	DESCRIPTION			
ERA2H45	ERA Timber Door Bolt 2 Hook 45mm BS 16mm Stainless Steel F/P			
TDBKBASE	Timber Door Keep Latch Base			
TDBK56	Timber Door Latch Strike 56mm			
TDBKHOOK	Timber Door Hook Bolt Keep x2			
FULL FRONT DOOR KIT CODE: ERA2-HBFD				

PLEASE REFER TO **PAGE 90 FOR KEEPS** 








#### Era 2 Dead Bolt **Front Entrance Door Lock**

This very popular Timber multipoint door lock offers a very high level of security with easily adjustable keeps.

- Stainless Steel Faceplate 16mm
- Designed to meet and achieve PAS 24 in Timber
- 2 High security tapered dead bolts
- 35 or 45mm backset with sprung gearbox
- Bi-Directional gear box
- Split spindle built-in
- · Snib latch hold back
- Non-handed
- Easy screwdriver adjustable keeps that stay adjusted
- 92mm centres







#### **LOCK COMPONENTS**

CODE	DESCRIPTION	
ERA2D45	ERA Timber Door Bolt 2 Dead 45mm BS 16mm Stainless Steel F/P	
TDBKBASE	Timber Door Keep Latch Base	
TDBK56	Timber Door Latch Strike 56mm	
TDBKHOOK	Timber Door Dead Bolt Keep x2	
FULL F	RONT DOOR KIT CODE: ERA2-DBFD	

PLEASE REFER TO **PAGE 90 FOR KEEPS** 





FAX: 01752 253823





#### **Fuhr Front Entrance Door Lock**

This Fuhr front entrance door lock is German engineering at its best. Fuhr is one of the leading door lock manufacturers in the world. This lever operated front entrance door lock offers a competitive, highly effective, smooth and secure solution to your front entrance door.

- Soft latch
- SKG 2 star rated
- Highly engineered keeps
- Fully adjustable keeps with heavy gauge castings and cross grain fixings
- Independent latch
- Tapered large hooks
- 20mm faceplate
- 45mm backset or 35mm backset
- Fully flush keeps
- 92mm centres



#### **LOCK COMPONENTS**

CODE	DESCRIPTION		
FUH-45-HOOK	856 2 Hook 45mm Door Lock		
FUH-BASE	Centre Latch Base		
FUH-DEAD	Dead Bolt Piece		
FUH-LATCH-58, 56 or 44	Adjustable latch 58, 56 or 44mm		
FUH-HOOK-BASE	Hook Base x 2		
FUH-HOOK-TOP	Hook Top Adjustable Plate x 2		
FULL FRONT DOOR KIT CODE: FUH-FED-45			

PLEASE REFER TO PAGE 90 FOR KEEPS










**FUH-45-HOOK** 

135




729

761

195

135







If you're purchasing one of these door locks, you'll also need the following. If you're not sure what you want, just ask and we can advise on popular products to use in conjunction with our door locks.







HINGES
+
HANDLE
+
CYLINDER
+
THRESHOLD



# **GU Secury Slam Shut Door Lock** for Modern or Classic style doors

The GU Secury range of slam shut front entrance door locks are a high-security and high-performance product. German manufactured with totally flush adjustable keeps.


- PAS24 tested and used by some of the leading UK Joineries
- 2 Options







The 1020 option with 2 auto lock latches will help you achieve a modern front entrance door appearance that will be secure (PAS24) and functional. Simply close the door and the top and bottom latches strike the keep and fully engage and become secure deadbolts. This product has a 20mm straight through faceplate.






The Classic option with 3 auto lock latches will help you achieve a Classic front entrance door appearance that will be secure (PAS24) and functional. Simply close the door and the top and two bottom latches strike the keep and fully engage and become secure deadbolts. This product has a radius end 20mm faceplate.





- Tested and achieved PAS24
- Fully adjustable keeps, centred for 54mm doors
- Lever handle can be fitted internally for swift exit
- Simple 3/4 turn of cylinder to fully dead lock door opposed to key winding 720 degrees
- 45mm Backset (55mm Backset Radius End available, please ask for technical details or view online)
- 20mm Faceplate
- DXF and DWG CAD files available
- 55mm Backset is great for centering to handle on wider stiles





Adjustable security keeps



**DETAILED IMAGE ILLUSTRATES** THE DOOR LATCH TO DEAD BOLT WHEN ENGAGED

FOR FULL ROUTING DETAILS & DIMENSIONS PLEASE CONTACT **OUR SALES TEAM** 






Can be connected and used as an electronic key-less access product



#### **TECHNICAL DETAILS: LOCKS**



#### **Secury Auto Modern**

CODE	DESCRIPTION
GUAS451050	Secury Auto 1020 HH Twin Dead Bolt 45 BS
GUAS551050	Secury Auto Twin Dead Bolt 55 BS (Radius End)
GU-CL	Secury Auto Centre Latch Strike 44mm or 54mm doors (Left or Right Hand)
GU-DBK	Secury Auto Dead Bolt keep X 2 Req
	TOTAL KIT PRICE: 45mm Backset (GU-MODERN)
	TOTAL KIT PRICE: 55mm Backset (GU-MODERN-55)

#### Secury Classic (Radius End)

CODE	DESCRIPTION				
GUSCRE	Secury Auto Classic Triple Dead Bolt 45 BS R/E				
GU-CL	Secury Auto Centre Latch Strike 44mm or 54mm doors (Left or Right Hand)				
GU-DBK	Secury Auto Dead Bolt keep X 3 Req				
	TOTAL KIT PRICE (GU-CLASSIC)				

#### PLEASE STATE YOUR DOOR THICKNESS & HANDING




#### **Thunderbolt** Front Entrance Door Lock

#### 5-Point Locking system with double deadbolts

The Winkhaus security locking system, ThunderBolt, unites high security with extremely easy installation. Timber Front doors will all close firmly and securely thanks to the angled shape of the twin deadbolts. The two twin deadbolts are bevelled on both sides; this means that when the twin deadbolt is inserted, the door is drawn into the frame. Solid and tight sealing, radius one piece keep or  $% \left\{ 1,2,\ldots ,n\right\}$ separate keeps. The latch strike is handed so please refer to handing details. The easy-to-fit Winkhaus Thunderbolt locking system has been specially designed with increased tolerances for Joineries.

- Twin Dead Bolts avoiding hook catching remedial issues
- Fully adjustable keeps
- Individual or one-piece keep
- 20mm faceplate and 45mm backset, 35mm available
- Tested to PAS24
- 92mm centres



#### **LOCK COMPONENTS**

REF	PART NO.	DESCRIPTION	QUANTITY			
Maste	er Lock					
1	WK45TD1	45mm B/S Twin Deadbolt 20mm F/P Size 1	1			
Keeps						
2	WK-TWIN -DK	Twin Dead Adjustable Keep	2			
3	WK-CK -54-LH	Centre Latch Deadbolt Keep Left Hand 54mm	1			
3	WK-CK -54-RH	Centre Latch Deadbolt Keep Right Hand 54mm	1			
4	WK-OPK-RH	Radius One Piece Keep Right Hand 54mm	1			
4	WK-OPK-LH	Radius One Piece Keep Left Hand 54mm	1			
FULL DOOR KIT CODE WITH INDIVIDUAL KEEPS: WK45TD-IK						
FUI	LL DOOR KIT C	ODE WITH ONE PIECE KEEP: WK	45TD-OPK			



**FORGOTTEN** 

**SOMETHING?** 


If you're purchasing one of these door locks, you'll also need

the following.





#### **TECHNICAL DETAILS**





#### **Fuhr 2 Pin Key Wind Lock**

This non-handle option for Bi-Fold doors overcomes a long-standing problem of not being able to stack Bi-Fold doors square. Also a great option for shop fronts with heavy traffic.


TDBTSBK

This high security 2 pin door lock will allow the door to be dressed with just an escutcheon and a flush pull eliminating the need for a handle.



For any further technical advice please call the sales team.

- No handle key turn lock
- Adjustable roller latch
- Fully adjustable non-handed flush keeps (page 22)
- Stack bifolds evenly
- · Access from inside or outside
- 45mm Backset
- 20mm Faceplate
- 92mm centres



FUH-LATCH-56, 44 or 58 FUH-DEAD FUH-BASE



\*purchase separately

#### LOCK COMPONENTS

CODE	DESCRIPTION				
FUH-KW-45	2 Pin Key Wind Lock 45mm B/S				
FUH-BASE	Centre Latch Base				
FUH-DEAD	EAD Dead Bolt Piece				
FUH-LATCH-58/56/44	Adjustable latch 58, 56 or 44mm				
TDBTSBK	Twin Shoot Bolt Adjustable Keep x 2				
FULL FRONT DOOR KIT CODE: FUH-KW45					



PLEASE REFER TO PAGE 90 FOR KEEPS







#### **Colonial Heritage Lock**

The Colonial Door Lock was brought to the market to give more consideration to the aesthetic design of the door, which removes the requirement for a lift lever handle and replacing it with a key wind lock via a cylinder at 15mm. This in turn gives more of a traditional appearance with increased security.

- Elegant appearance
- 45mm backset, 16mm faceplate (35mm available)
- Manual slide snib for latch retention
- 2 high security pins
- Soft latch

020

729

762
















**COLONIAL LOCK KIT CODE:** COLONIAL-45

PLEASE REFER TO **PAGE 90** FOR KEEPS







#### **Stable Door Bolt** This Fuhr Stable Door Lock comprises of 2 locks, one for each sash. The top is a lift lever with hook, deadbolt and latch. The bottom lock case contains a key



operated deadbolt and hook.


















#### LOCK COMPONENTS

CODE	DESCRIPTION			
FUH-STABLE-TOP	Stable Door Top Lock			
FUH-STABLE-BOT	Stable Door Bottom Lock			
FUH-BASE	Centre Latch Base			
FUH-DEAD	Dead Bolt Piece			
FUH-LATCH-58, 56 or 44	Adjustable latch 58, 56 or 44mm			
FUH-HOOK-BASE	Hook Base x 3			
FUH-HOOK-TOP	Hook Top Adjustable Plate x 3			
FULL STABLE DOOR KIT CODE: FUH-STABLE				






Joinery by: JTP Joinery









#### FAB Single Handle French Door Lock

#### High security locking without the need for 2 handles, 2 cylinders or a dummy mullion.

The Slave lock is operated by a flush, integrated two-way lever. The FAB slave lock throws two heavy-duty 20mm shoot bolts into the head and cill. Combined with the renowned Thunderbolt multi-point lock on the master door with its two tapered deadbolts which penetrate the FAB slave lock which secures the two leafs together. The Slave lock is also a one-piece adjustable keep.

The Winkhaus FAB slave door lock range provides a high security locking option that is tested and approved.

- Twin Dead Bolts opposed to hooks avoiding catching issues
- Slave bolt U Rail measures 26mm by 5.5mm high
- 20mm faceplate and 45mm backset, 35 available
- Heavy Duty Adjustable SDK single thimble keeps for slave door lock
- Adjustable on ever locking point


**SECTION DRAWING** 

Handed system (Refer to handing details)




#### **TECHNICAL DETAILS**


**(4)** 






AQ124 weather seal





**SHOOTBOLTS** 



186

P




System can accommodate different sections than shown above. Please contact our sales team for any further advice.




Please Note: Section drawings are just an example and not a specification.

#### LOCK COMPONENTS

REF	PART NO.	DESCRIPTION	QUANTITY	
Maste	er Lock			
1	WK- FABM45-2	5 point Master Door Lock 45mm B/S 2100x20mm F/P Square End	1	
Slave	Locks			
2	WKFAB- SLM-LH	Slave Flush Lock includes bottom shoot Left Hand	1 or	
2 WKFAB- SLM-RH		Slave Flush Lock includes bottom shoot Right Hand	1	
Shoot	bolts			
3	WK- FAB-SLS-2	Slave Unit Shootbolt, 256mm, doors 1856-1996mm	1 or	
3	WK- FAB-SLS-3	Slave Unit Shootbolt, 399mm, doors 1996-2139mm	1 or	
3	WK- FAB-SLS-4	Slave Unit Shootbolt, 541mm, doors 2139-2281mm	1	
Shoot	bolt Keep			
4	SDH-SK-HD	22mm Single Shootbolt Keep	2	



















FULL FRENCH DOOR KIT CODE: WK-FAB45

OTHER SIZES CAN BE ACHIEVED. PLEASE CALL SALES FOR MORE INFO.





#### **LOCK COMPONENTS**

DESCRIPTION
Hook/Dead Lock 45 or 35mm Backset
Latch Base
Latch Strike 56mm
Hook/Dead Keep x 2
Top and Bottom Shoot Bolt x2
Maco Finger Bolt x 2
Twin Shoot Bolt Adjustable Keep x 2

FULL HOOK BOLT FRENCH DOOR KIT CODE: ERA2H35 or 45

FULL DEAD BOLT FRENCH DOOR KIT CODE: ERA2D35 or 45



#### PTFE-1

Recommended Product

#### White Lithium Grease with PTFE

- Lubricates and protects moving parts
- PTFE reduces friction
- Ideal for use with Accova
- Long-lasting protection against corrosion
- Operating temperatures: -20°C +140°C
- 500ml





# ERA Hurricane Hook Bolt French Door Lock Kit

The ERA (Hurricane) 45mm Backset Lock Kit with 2 Hook Multi Point lock for Composite/Timber doors is designed to operate using a Euro Profile Cylinder and compatible 92mm handle. Twin high-security steel hooks lock into steel keeps offering maximum resistance to forced entry, and the bi-directional throw of the hooks protects the door from being jimmied.

The easily reversible latch bolt and the non handed design enables the lock to be used for left or right-handed doors that are inward or outward opening. The snib facility enables the latch bolt to be held in the retracted position giving the option to travel freely through the door without depressing the handle. The lock also incorporates a split spindle function for Lever Pad handle applications.

High-security shootbolts are included in the kit to add enhanced security, particularly when used on French door applications. The 45mm backset secured on a 16mm face bar makes this lock an ideal choice for composite/timber door applications.

- Twin high-security steel hooks
- Bi-directional throw
- Non-handed lock
- Split spindle function
- Tested to the highest technical standards and latest security requirements
- Grade 4 Corrosion Resistance (240 hours)
- Endurance tested in excess of 50,000 cycles

#### **LOCK COMPONENTS**

CODE	DESCRIPTION				
ERA-HH45M	Master Lock 45mm Backset				
ERA-HH45S	Slave Lock 45mm Backset				
ERASB	High Security Shootbolt				
TDBTSBK	Twin Shootbolt Adjustable Keep				
FULL FRENCH DOOR KIT CODE: ERA-HURRICANE-45					


PLEASE REFER TO PAGE 90 FOR KEEPS














FAX: 01752 253823






# Viper French & Single Door Lock

#### **KEY FEATURES**

- Faceplate and drive bar manufactured in Stainless Steel.
- 3 x 20mm brass forged tapered deadbolts.
- Full flush adjustment on every locking point.
- Extension with deadbolt (Master) and adjustable keep (Slave) for taller french and front doors.
- Double laminated security shootbolts on master and slave doors for extra security.
- 45mm backset for slave and master lock.
- Adjustable flush strike plates with 20mm face plate.
- Both locks split spindle as standard which saves on setup time.
- Bi-directional gearbox.
- Anti-fouling device fitted to slave lock ensuring you lock the slave before the master.
- Slave has an adjustable strike for centring of 56 58mm doors.
- 1870mm minimum height with handle height of 1050mm for fully shot French doors.
   Shorter doors can be achieved if reducing handle height or not fitting a top shoot bolt.
- PAS24 accredited for single and French doors as well as being Part Q compliant.
- Adjustable range of single door keeps for 56mm doors or use single piece keep.
- Achieved PAS24 2016 test
- 92mm centres

CODE



#### **KIT PRODUCT CODES**

VIP-FR-1	Mι	ıltipoint F	rench Doo	or Lock Kit	t (1815-210	00mm do	ors)
VIP-FR-2	Mu	ltipoint Fi	rench Doo	r Lock Kit	(2100-23	00mm do	ors)
VIP-FR-3	Multipoint French Door Lock Kit (2300-2670mm doors)						
VIP-FR-4	Multipoint French Door Lock Kit (2450-2880mm doors)						
DOOR SIZING CHART	VIP45M	VIP45S	VIPMED	VIPSEK	VIP152SB	VIP352SB	TDBTSBK
1815-2100	1	1			4	•	2
2100-2300	1	1			2	2	2
2300-2670	1	1	1	1	4		2
2450-2880	1	1	1	1	2	2	2

DESCRIPTION



#### **VIPSEK**

600mm Slave Extension with integral adjustable keep for master extension

#### **MASTER EXTENSION**

#### VIPMED

600mm Master Extension with integral high security forged brass linear bolt.

#### **LATCH STRIKE**

Adjustable centre latch strike to suit a centre lock position on a 56mm door. On thicker doors use an offset lock.



#### VIPRLS

Viper Rebated Latch Strike for use with Viper Double Rebated French Doors.

Dimensions: 50mm x 25mm Opening Size 35mm x 12mm



#### (3) ANTI-FOUL DEVICE

Feature that ensures the slave lock is thrown before the master lock is secured.



#### 8 SNIB FACILITY

Snib facility for de-latching



#### OEADBOLT STRIKE

Fully adjustable flush deadbolt strikes with +/- 2mm of adjustment.



#### OUBLE LAMINATED SHOOTBOLT

#### VIP152SB

Extra enhanced security shootbolt for improved resistance to forced entry.



#### **TAPERED DEADBOLT**

2 x high security forged linear bolts with 2mm throw and tapered lead in.



### VIP352SB

For door heights between 2100mm and 2280mm.

Double Laminated.


10 Year Guarantee.





**TALK TO US ABOUT TOOLING FROM WHITEHILL** 














**ERA Rebate Kit** 

• To suit either sash or dead lock

### ERA 5 Lever Sash or Dead Lock



# **Eurospec 5 Lever Sash or Dead Lock**



- 2.5 or 3 Inch
- Fortress BS 3621
- Complete with keys
- 64mm
- 10-year guarantee
- Insurance Approved
- 57mm centres





Sash lock

- CE and Certifire tested
- PVD Gold or Satin Stainless Steel finish
- 25 year mechanical guarantee





• 13mm



Sash ERA428

Dead **ERA426** 



#### Sash lock

**Dead lock** 





CODE	SIZE	
ERA262	2.5" Sash (44mm BS, 67mm Case)	
ERA362	3" Sash (56mm BS, 79mm Case)	
ERA261	2.5" Dead (44mm BS, 67mm Case)	
ERA361	3" Dead (56mm BS, 79mm Case)	



**Dead lock** 

CODE	SIZE
ES5L25	2.5" Sash (46mm BS, 66mm Case)
ES5L30	3" Sash (56mm BS, 76mm Case)
ES5D25	2.5" Dead (45mm BS, 66mm Case)
ES5D30	3" Dead (55mm BS, 76mm Case)

#### **ERA Night Latch**



- 40mm or 60mm back set
- Kitemarked to BS3621 criteria for insurance companies and policies
- Available in Polished Brass, Polished Chrome, Satin Chrome & Black
- Complete with keys

#### **Multi-point Gearbox Only**

- 16 or 20mm faceplate
- Sprung
- 92mm centres
- Fits most multipoint lock door handles
- 45mm Backset



16mm Faceplate **FUH-CG45-16** 

20mm Faceplate **FUH-CG45-20** 

# PB F

**ERA** 

Black Finish (1830)

SC BL

40mm **ERA1830** 

60mm **ERA1930** 

#### ESESL25

#### **Euro Cylinder Sash Lock**

- British Standard rated
- 10-year guarantee
- 64mm
- 47mm centres
- PVD Brass or Stainless Steel finish





#### ESEDL25

#### **Euro Cylinder Dead Lock**

- British Standard rated
- 10-year guarantee
- 64mm
- PVD Brass or Stainless Steel finish





#### NL

#### **Standard Night Latch**

- 60mm
- 5 rim cylinder
- 3 keys included










#### **Fuhr 3 Piece** 58/56/44mm **Latch Keep**

- SKG 3 Star Security Striker
- Cross grain fixings3 Part Keep
- Adjustment independent of latch strike
- Totally flush (no protruding faceplate)

FUH-LATCH-58, 56 or 44 **FUH-DEAD FUH-BASE** 



other sizes (mm)

92,80,72,65,48

28mm (TDBK56)


190

### **FUHR**

#### **Fuhr 2 Piece Hook Keep**

- SKG 3 Star Security Striker
- Cross grain fixings
- 2 Part Keep
- Adjustable
- Totally flush (no protruding faceplate)





FUH-HOOK-TOP **FUH-HOOK-BASE** 

#### **TDBK 2 Piece Latch Keep**


- 2 Part Keep
- Easy screwdriver adjustment
- Totally flush (no protruding faceplate)
- TDBK56 for 56mm doors

#### **TDBKBASE** required + Choose latch plate size

TDBKBASELatch Keep BaseTDBK5628mm Latch Plate (for 56mm doors)TDBK4848mm Latch PlateTDBK6565mm Latch PlateTDBK7272mm Latch PlateTDBK8080mm Latch PlateTDBK9292mm Latch Plate	CODE	DESCRIPTION
TDBK48 48mm Latch Plate TDBK65 65mm Latch Plate TDBK72 72mm Latch Plate TDBK80 80mm Latch Plate	TDBKBASE	Latch Keep Base
TDBK65 65mm Latch Plate TDBK72 72mm Latch Plate TDBK80 80mm Latch Plate	TDBK56	28mm Latch Plate (for 56mm doors)
TDBK72 72mm Latch Plate TDBK80 80mm Latch Plate	TDBK48	48mm Latch Plate
TDBK80 80mm Latch Plate	TDBK65	65mm Latch Plate
	TDBK72	72mm Latch Plate
TDBK92 92mm Latch Plate	TDBK80	80mm Latch Plate
	TDBK92	92mm Latch Plate

#### **TDBK Hook/Dead Bolt Keep**


- Easy adjustment
- Can be used for hooks or deadbolts
- Fully pocketed keep
- Totally flush (no protruding faceplate)




#### **TDBKHOOK**

#### Twin Shootbolt Keep

- Fully pocketed for protection against water ingress
- Easy adjustment




#### **TDBTSBK**






#### Winkhaus Keeps

- Adjustable with Allen Key
- Handed
- Full metal pocket



Centre Latch Deadbolt Keep WK-CK-54-LH/RH





Twin Dead Adjustable **Keep WK-TWIN-DK** 


# SCAN FOR DOOR KEEPS PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW PRICES.



# FER-DLK-1 Ferco Flat Timber Door Latch & Dead Bolt

- Simple flat 2mm keep
- Non-Handed



#### SDH-SBS


#### SDH Single Shootbolt Adjustable Strike

- This adjustable keep/strike can be used when using shoot bolts on windows and doors
- Easy adjustment
- +/- 3mm adjustment
- 14 x 10mm Aperture



#### **GU Keeps**

- Heavy duty
- Cross grain screw fixings
- Simple adjustment
- Handed
- Right-hand shown









#### SDH Threshold Keep

- Perfect keep solution for single shootbolts into a threshold
- 16 x 1mm Aperture



GU Secury Auto Dead Bolt Keep **GU-DBK** 



#### FUH-SSKT/SSKB

#### **Fuhr Single Shootbolt Keep**

- For use with Fuhr Single Handle French Door Lock
- Fully pocketed 2 part keep
- Bevelled version available for use in sills (FUH-SSKB)



#### SDH-SK-HD


# 22mm Single Shootbolt Keep

Allen key adjustable



# sdн-тк **Thimble Keep**

#### \_ . . . .







#### **DFR370**

#### **Door Restrictor**



#### **SOX Slim Flush Bolt**

• Complete with screws and strike plate • Great product for Accoya

• 600mm available, please ask for details

• 20mm width • 15mm depth









SOX-FB-SLIM -200


**SOX-FB-SLIM** -300



#### **REFB**


#### **Radius End Flush Bolt**

- Lever operated flush bolt
- Slim design 10mm depth
- 175mm length
- 21mm width



#### **Ferco Flushbolt**

- Standard 16mm faceplate
- Easy slide action
- Slim 7mm depth
- 200mm length



**GUFB** 

**GUFBK** (Keep)

#### **Zam Door Flush Bolt**

- Reversible, can be used for both the top and bottom of the door
- Strong 21mm bolt
- Heat treated hardened steel tip for anti-saw protection
- 10-year Mechanical Guarantee


CODE	FINISH / SIZE
ZAM-FB140-B	Black 140mm
ZAM-FB220-B	Black 220mm
ZAM-FB450-B	Black 450mm
ZAM-FB650-B	Black 650mm
ZAM-FB140-S	Silver 140mm
ZAM-FB220-S	Silver 220mm
ZAM-FB450-S	Silver 450mm
ZAM-FB650-S	Silver 650mm

#### MAC-FB

#### **Maco Finger Bolt**

- Simple & easy lever action flip over
- 540mm version available for tall doors

#### 540mm MAC-FB-540




#### SDH-FB

#### **SDH Finger Bolt**

The SDH finger bolt has been designed specifically for flush timber doors.

• Extra strong shootbolt




#### **EXEEXT**

#### 325mm No Cam **Extension**

Can be used with below products;

- Excalibur
- Maco MK1
- Vintage French Door
- TDB Yale
- ERA Door Locks



#### **Henderson Flush Bolts**

- · Available in four finishes: Satin, Gold, Black, and Polished Chrome
- Available in Lockable or Non-Lockable
- Includes matching screws
- Matching Bolt Keep
- Morticed fitment for a flush, clean look
- Outward Opening
- 190mm x 40mm

HEN-FB190



#### Pano 200mm **Flush Bolt**

- Radius for easy fitting
- · Available in Silver, Black & Gold (White also available upon request)
- Complete with Stainless Steel fixing screws & keep
- 25mm throw on shootbolt
- 200mm x 35mm



#### **SOX Flush Bolt**

- Polished Brass PVD
- Stainless Steel

PVD Locking **BF-FBL-PVD** 

**BF-FBL-SS** 

Stainless Locking

- 210mm (shown) or 400mm
- Locking or Non-Locking



and screws • 150 x 20mm

**SOX TFB** 

Lever action

• Other sizes available

Comes with keeps



**PANFB** 

#### **Door Bolts**

- An elegant heavy duty flush bolt that is easy to operate
- Available in 3 finishes: Polished Brass, Polished Chrome, Satin Chrome and Matt Black
- · Available in 3 sizes: 4",6" and 8"



BF-FB

HERC1685 4"

HERC1685 6"

HERC1685 8"





SC MB

PR PC

#### **Flush Bolt**

SOXTFB150

- 150mm Traditional Brass Flushbolt
- 3 finishes
- Other sizes available
- Stainless Steel also available
- 20mm depth

DARFB6



#### **Devoran Door Bolt**

- Available in Cranked or Straight
- Complete with screws



CODE	SIZE
DEVFBC4ST	Straight 4"
DEVFBC6ST	Straight 6"
DEVFBC4CR	Cranked 4"
DEVFBC6CR	Cranked 6"

#### **Straight Bolt**

- 100mm or 150mm
- Solid Brass
- Complete with screws
- 3 finishes



**DARSBB4** DARSBB6



#### **Necked Bolt**

- 100mm or 150mm
- Solid Brass
- Complete with screws
- 3 finishes



#### **SOX Stainless Steel Cabin Hook**

- 316 Grade Stainless Steel
- Complete with Screws
- Available in 3 sizes: 103mm, 150mm & 200mm

150mm

200mm

• 10-year Mechanical Guarantee







### Cabin Hook

SOX316-CH-100SSS SOX316-CH-150SSS

SOX316-CH-200SSS

- Solid Brass
- Available in Polished Brass,
   Polished Chrome and Satin Chrome
- Complete with screws
- Available sizes: 75mm, 102mm, 150mm, 205mm, 250mm, 300mm

SIZE
75mm
102mm
150mm
205mm
250mm
300mm



# DEV-CH-BL Devoran Cabin Hook


- 152mm Length
- Complete with screws



#### **Internal Brass Surface Espag**

- Oval knob style handle espagnolette bolt
- Used on French doors and provide additional security.To suit inward and outward opening doors
- Comes with 2 x 1.2m Rods and Mortice Keepers
- Comes with a 10-year mechanical guarantee
- Suitable for domestic use
- Available in different finishes.

FULL TECHNICAL FITTING & DATA SHEET AVAILABLE



# TL75R-EN Tubular Latch

- 57mm Backset
- 75mm total depth
- Complete with plate and screw
- Electro Brass or Nickel



OV-ESP



#### SPRING-C

#### **Spring Cassette**

For use with long arm backplate handle

Sold as pair



#### **Key Key Cylinders**

The SDH range of 6 pin and **10 pin (Black only)** Cylinders are Anti-Drill, Anti Pick and meet the requirements of EN1303:2005



for other sizes and special finishes, please ask for details

	NICKEL	BRASS	BLACK
35-35	ENQUIRE	ENQUIRE	ENQUIRE
35-45	ENQUIRE	ENQUIRE	ENQUIRE
40-40	ENQUIRE	ENQUIRE	ENQUIRE
40-45	ENQUIRE	ENQUIRE	ENQUIRE
45-45	ENQUIRE	ENQUIRE	ENQUIRE

#### **Keyed Alike Cylinders**

We supply keyed alike cylinders from stock in single and pair form. For different sizes and combinations like key to pass etc please enquire with our sales team.



Keyed Alike SINGLES



Keyed Alike PAIR

Complete with 6 keys

#### **Key Thumbturn Cylinders**

The SDH range of 6 pin Cylinders are Anti-Drill, Anti Pick and meet the requirements of EN1303:2005



for other sizes and special finishes, please ask for details

	NICKEL	BRASS	BLACK
35-35	ENQUIRE	ENQUIRE	ENQUIRE
35-45	ENQUIRE	ENQUIRE	ENQUIRE
40-40	ENQUIRE	ENQUIRE	ENQUIRE
40-45	ENQUIRE	ENQUIRE	ENQUIRE
45-45	ENQUIRE	ENQUIRE	ENQUIRE

#### **Half Thumbturn Cylinders**

Ideal for bottom lock of Stable Door or Juliet Balcony



	NICKEL	BRASS
35-10	ENQUIRE	ENQUIRE
40-10	ENQUIRE	ENQUIRE
45-10	ENQUIRE	ENQUIRE

WE CAN ALSO SUPPLY ISEO DOOR CYLINDERS, PLEASE GET IN TOUCH TO ENQUIRE.



#### ARE YOU GETTING VALUE FOR MONEY ON YOUR CURRENT 3 STAR CYLINDERS?

### **Greenteq 3 Star Cylinders**

Comprehensively tested 3 Star Cylinders at competitve prices

- TS007 Kitemark 3 star profile cylinder (KM591531)
- Protects against bumping, drilling, picking, snap & extract
- 20 different Key/Key sizes available
- 13 different Key/Thumbturn sizes available
- Keyed alike pairs available, please ask for details.

	KEY KEY		THUMBT	URN KEY
	NICKEL	BRASS	NICKEL	BRASS
35-35	ENQUIRE	ENQUIRE	ENQUIRE	ENQUIRE
35-45	ENQUIRE	ENQUIRE	ENQUIRE	ENQUIRE
40-40	ENQUIRE	ENQUIRE	ENQUIRE	ENQUIRE
40-45	ENQUIRE	ENQUIRE	ENQUIRE	ENQUIRE



#### DC40-40EAN/EAB

#### **Easy Access Thumb Turn Cylinder**

 Available in Nickel & Brass

Scau for

prices





#### Keyed alike service

We offer a very competitive keyed alike service on all our cylinders, please enquire with our sales team for prices.

#### Other finishes


SDH can now supply cyclinders in other finishes, please enquire with our sales team for more information.

#### DCD1

#### Souber Tools Long Multi Euro Cylinder Tool

- Quick locking and unlocking of Euro and Oval locks
- Tapered square drive for follower operation with size markings 7mm to 10mm
- 3mm Hex drive to handle Allen head screws
- 3 square drives for operating 6mm, 7mm, and 8mm spindles
- Markings to determine accurate cylinder length





**HOW TO MEASURE A CYLINDER** 

To determine size of cylinder, measure 'A' then 'B' Example A = 40mm, B = 45mm order 40/45 cylinder

# THE ANSWER TO PART Q... THE TIMBER WINDOW & DOOR INDUSTRY HAS BEEN LOOKING FOR!

The elephant in the room for Joineries is Part Q, and it's time that something was done about it, for the sake of the industry.

For years Part Q has been a headache for Joiners making windows and doors for new builds and extensions, as there's a lot of misinformation and misunderstanding out there. With the impending implications of Part Q being brought in for the refurbishment market, it's something we believe Joiners desperately need help with. Not a scheme or membership that is there to make a profit.

SD Hardware has played a crucial role in bringing together Accoya wood, ERA, and Midland Joinery Services to ensure compliance with Part Q of the Building Regulations. This is something we're giving away to the joinery industry for **FREE.** 

This document provides all the necessary details to ensure compliance with Part Q. Including details from our PAS24 tests, which will serve as the blueprint for achieving compliance.





# Following the Part Q guideline documents

For each type of window and door project, we have a document stating the section details and hardware used during the PAS 24:2022 tests as part of 'The Part Q Blueprint'. Follow these guidelines to ensure our products comply to Part Q requirements.



# Complete a Part Q Blueprint Certificate

A certificate is to be completed for all Part Q jobs providing a job reference number. This number will be used as a reference to link the job to any hardware purchase orders/invoices. If required, you can then show proof that the hardware used is the same as required as part of the blueprint.



# Apply stickers to relevant windows or doors

When each job is completed, stickers should be applied to each window and door that is required to comply with Part Q. This provides a visual cue for building inspectors when checking for compliance.

A job reference should also be added for ease of administration.






MORE BEING ADDED TO THE RANGE SO PLEASE ASK FOR MORE INFORMATION







#### **Cottage Handle**

- 92mm Centres
- 242x32x13mm backplate
- 125mm handle length
- Also available in Pewter
- Complete with screws



Triple Sprung Loaded

Black **33035**  Pewter **33036** 



FROM THE ANVIL

#### **Avon Handle**

- 92mm Centres
- 242x32x13mm backplate
- 125mm handle length
- Also available in Pewter
- Complete with screws





Black Pewter 33033



FROM THE ANVIL

#### **Gothic Handle**

- 92mm Centres
- 248x44x5mm backplate
- 125mm handle length
- Unsprung
- Also available in Pewter
- Complete with screws





Black Pewter **33273 33604** 



▲ FROM THE ANVIL

#### Reeded Slimline Lever Espag Handle

- Backplate size: 244mm x 36mm x 13mm
- Handle Length: 123mm
- Centres: 92mm
- Fixing centres: 212mm

#### Finishes:

Aged Brass - 33039 Polished Nickel - 33316 Polished Chrome - 33305 Aged Bronze - 83952 Polished Bronze - 91912 Polished Brass - 46545



FROM THE ANVIL







# **Devoran Slimline 5 Lever Door Handle** • 155x38mm • 57mm centres MTIQUA **DEVORAN**

#### Lever/Lock Door Handle

- Backplate size 158x55mm
- Comes with screws
- Sold as a pair
- Comes with spindle
- Fits all standard 5 lever locks
- 57mm centres



**DEVLL** 



**DEV5LSLIMH** 

#### **Windsor Swan Door Handle**

- Solid die-cast zinc construction
- Supplied with screws and spindle
- Handed product
- 92mm centres
- 206 x 28mm Backplate


**SWAN** 



The Windsor Swan Door Handle is part of our Timber Series range. Please see below the finishes available for this product along with the other suited door furniture available in each finish.









#### **Dart Scroll Solid Brass Handle**

- Traditional design
- 92mm Centres
- Complete with screws
- Handed (left hand shown)
- 208x28x10mm Backplate
- · Available in Polished Brass, Polished Chrome & Black



**DAR-SCROLL** 



#### Victorian Handle

- Solid Brass substrate
- Sold as pair
- 3 finishes
- 57mm centres



PC SC

**DARVLL** 

PLEASE **LOGIN TO** 




**FAX:** 01752 253823



VILDH-B/W


VILDH-S

















DOOR EXAMPLES SHOWN ABOVE ARE USING OUR DOOR BLANKS SHOWN ON PAGES 114 & 115



# SOX Square Mitered Pull Handle

- Comes with invisible or back to back fixings
- 25mm square

# SOX Stainless Steel T-Bar Pull Handles

The function of any door is obvious, but what's often overlooked is the important role the design and styling of the front door plays in the overall aesthetic of a home. The front door is the one door that every homeowner touches, often multiple times, each day.

So why do we not put enough consideration into ensuring this integral element of our home gives off the best first impression? Not only does the panel need to be visually striking, whether that be manufactured from timber, uPVC, aluminium, or composite, but the vision is only complete with the correct choice of door hardware from the external door handle to the furniture accompanying it.

If you're manufacturing modern timber doors, pull handles are a very popular choice. View our range of Stainless Steel Pull Handles on the next page.

 1200x25mm sq
 1200x25mm sq

 Secret Fix
 Back-Back Fix

 SOXSQ1200-SF
 SOXSQ1200BB



PLEASE LOGIN TO YOUR ONLINE TRADI ACCOUNT TO VIEW TRADE PRICES.

www.sdhardware.co.uk/door-hardware/external-door-furniture



#### **SOX 316 Stainless Steel INLINE Pull Handles**

- 32mm Diameter
- Complete with bolt through fixings (For 44mm doors)
- Additional fixing packs for thicker doors and secret fix available

#### FOR BACK TO BACK HANDLES, PURCHASE X2 HANDLES AND A FIXING PACK

\*3 x Fixings needed for these lengths

Length	Stainless Finish	Black Finish
400mm	SOX316-ST-400-SS	SOX316-ST-400-MB
600mm	SOX316-ST-600-SS	SOX316-ST-600-MB
800mm	SOX316-ST-800-SS	SOX316-ST-800-MB
1000mm	SOX316-ST-1000-SS	SOX316-ST-1000-MB
1200mm	SOX316-ST-1200-SS	SOX316-ST-1200-MB
1400mm*	SOX316-ST-1400-SS	SOX316-ST-1400-MB
1600mm*	SOX316-ST-1600-SS	SOX316-ST-1600-MB
1800mm*	SOX316-ST-1800-SS	SOX316-ST-1800-MB



SOX-2BB-KIT	Back to Back Fixing Kit (400-1200)
SOX-2SI-KIT	Single Fixing Kit (400-1200)
SOX-3BB-KIT	Back to Back Fixing Kit (1400-1800)
SOX-3SI-KIT	Single Fixing Kit (1400-1800)
SOX-SF-KIT	Secret Fixings (Priced each)

#### **SOX 316 Stainless Steel OFFSET Pull Handles**

- 32mm Diameter
- Offset 45°
- Complete with bolt through fixings (For 44mm doors)
- Additional fixing packs for thicker doors and secret fix available

#### FOR BACK TO BACK HANDLES, PURCHASE X2 HANDLES **AND A FIXING PACK (ABOVE)**

\*3 x Fixings needed for these lengths

Length	Stainless Finish	Black Finish
400mm	SOX316-OF-400-SS	SOX316-OF-400-MB
600mm	SOX316-OF-600-SS	SOX316-OF-600-MB
800mm	SOX316-OF-800-SS	SOX316-OF-800-MB
1000mm	SOX316-OF-1000-SS	SOX316-OF-1000-MB
1200mm	SOX316-OF-1200-SS	SOX316-OF-1200-MB
1400mm*	SOX316-ST-1400-SS	SOX316-ST-1400-MB
1600mm*	SOX316-OF-1600-SS	SOX316-OF-1600-MB
1800mm*	SOX316-OF-1800-SS	SOX316-OF-1800-MB



SOX-2BB-KIT	Back to Back Fixing Kit (400-1200)
SOX-2SI-KIT	Single Fixing Kit (400-1200)
SOX-3BB-KIT	Back to Back Fixing Kit (1400-1800)
SOX-3SI-KIT	Single Fixing Kit (1400-1800)
SOX-SF-KIT	Secret Fixings (Priced each)

#### **SOX 316 Stainless Steel FLAT Pull Handles**

- 40mm handle width
- Complete with bolt through fixings (For 44mm doors)
- Additional fixing packs for thicker doors and secret fix available

#### FOR BACK TO BACK HANDLES, PURCHASE X2 HANDLES **AND A FIXING PACK**

\*3 x Fixings needed for these lengths

Length	Stainless Finish	Black Finish
400mm	SOX316-FL-400-SS	SOX316-FL-400-MB
600mm	SOX316-FL-600-SS	SOX316-FL-600-MB
800mm	SOX316-FL-800-SS	SOX316-FL-800-MB
1000mm	SOX316-FL-1000-SS	SOX316-FL-1000-MB
1200mm	SOX316-FL-1200-SS	SOX316-FL-1200-MB
1400mm*	SOX316-FL-1400-SS	SOX316-FL-1400-MB
1600mm*	SOX316-FL-1600-SS	SOX316-FL-1600-MB
1800mm*	SOX316-FL-1800-SS	SOX316-FL-1800-MB



SOX-2SI-KIT Single Fixing Kit (400-1200)

#### SOX 316 'D' Handle

- Perfectly matching corners and precision joints, meticulously produced quality
- A choice of fixing packs are available
- Size: 300mm x 227mm
- Depth: 85mm



#### SOX 316 'V' Handle

- · V shaped handle, for a sleek aesthetic appearance
- A choice of fixing packs are available
- Size: 332mm x 163mm
- Depth: 85mm





#### SOX316D

SOX316V

#### **SOX 316 Bow Handle**

- Austenitic grade 316 stainless steel construction
- Back to back, Single or Single No Grub Screw fixing packs available

SOX316BOW600-BB	600mm Back to Back
SOX316BOW600-SI	600mm Single Fix
SOX316BOW990-BB	990mm Back to Back
SOX316BOW990-SI	990mm Single Fix





#### **SOX Lever on Rose Handle**

- 304 Stainless Steel
- Solid brass heavy duty back plate
- machine screws or surface screws (supplied with both)
- Can fit up to 65mm doors
- Complete with screws





THIS HANDLE CAN ALSO BE PULLED UP TO ENGAGE MULTI-POINT LOCKS

SOXLOR19

















#### **SOX Stainless Steel Patio Door Handle**

- Fits many lock brands such as Fullex, Yale, and Roto
- Suitable for timber, aluminium, and PVC patio doors
- 10-year performance guarantee
- 304 Stainless Steel
- Non-handed & easy to reverse the handing
- 92mm centres

SOX-PD



#### Vista Patio Door Handle

• Fits many lock brands such as Fullex, Yale, and Roto

FAX: 01752 253823

- Suitable for timber, aluminium, and PVC patio doors
- 10-year performance guarantee
- 304 Stainless Steel
- Non-handed & easy to reverse the handing
- 92mm centres

**VPDH** 



#### SCAN FOR DOOR FURNITURE PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/door-hardware/external-door-furniture









#### **SDH Security Pull & Escutcheons**

This comprehensive range of pulls and escutcheons are designed to work with euro profile cylinders. Sold as 4 separate components you can **mix and match** internal and external products to achieve the required look. The internal component comes with machine screws for a 44mm door and the external has concealed fixing bolts.

**Standard Finishes:** White, Black, Polished Chrome & Polished Gold

	CODE	DESCRIPTION
	SDH-PES	External Security Pull
	SDH-IP	Internal Pull (inc. screws)
	SDH-ESE	External Security Escutcheon
	SDH-EIS	Internal Escutcheon (inc. screws)

### SOX Finishes:

Polished & Satin Stainless Steel

CODE	DESCRIPTION
SOX-PES	External Security Pull
SOX-IP	Internal Pull (inc. screws)
SOX-ESE	External Security Escutcheon
SOX-EIS	Internal Escutcheon (inc. screws)





#### SOX Covered Oval Euro Escutcheon

- · Concealed, secret fix
- Easy to fit
- Not supplied with screws
- 14mm (h) x 33mm (w) x 73mm (l)





#### SOX 316 Oval Euro Escutcheon

- SOX316
- Concealed, secret fix

Black SOX316-O1-BL

- Easy to fit
- Not supplied with screws
- 9mm (h) x 33mm (w) x 72mm (l)



SOX 316 Square Euro Escutcheon



- Concealed, secret fix
- Easy to fit
- Not supplied with screws
- 10mm (h) x 30mm (w) x 70mm (l)



Stainless Steel **SOX316-O2-SS** 

Black SOX316-O2-BL

### SOX-O3-SS

#### Euro & Standard Escutcheon

- Invisible fixings
- Solid Brass
- 3 finishes
- Euro or standard key profile
- 10mm depth





#### Devoran Escutcheon

SOX316-O1-SS

- Single sided
- Complete with screws



**DEV-EUE-BL** 

# Devoran Oval Escutcheon

- Single sided
- Complete with screws



**DEVOEBL** 



DAR-EE

# Euro Cylinder Pull and Escutcheon



- Internal escutcheon and external cylinder pull
- Perfectly sized to fit most door types
- Screw centres perfectly align with key wind up, Heritage and Slam Shut door locking systems
- Size: 52mm x 59mm
- Available in Polished Chrome, Graphite, Polished Gold, Rose Gold, Black & Polished Bronze



#### TS-ECPE



#### Euro Pull Escutcheon

- Through fixing
- Includes fixing screws for 42-48mm doors (for thicker doors extra screws to fit can be supplied)
- Available in Black or Pewter



DEV-EP







#### **Centre Door Knob**

- Secret bracket fixed or through-bolt fixed
- Will suit all standard door depths
- Diameter: 70mm
- Centre: 54mm
- · Available in Polished Chrome, Graphite, Polished Gold, Satin Chrome, Black & Polished Bronze





#### **TIMBER**SERIES

#### **TS-DRDK**



#### **SCAN FOR DOOR FURNITURE PRICES...**

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.



www.sdhardware.co.uk/door-hardware/ external-door-furniture

#### **Door Knob**

- 70mm Diameter knob
- 75mm Rose
- Solid die cast zinc
- Comes with fixing bolts
- · Available in Black or Pewter





# **Devoran Centre Knob**

- Complete with fixings
- 70mm Diameter
- 63mm Projection
- 73mm Rose

**DEVCDK** 



#### **DEV-KNOB**

NTIPUN **DEVORAN** FARDWARE

#### **SOX 316 Centre Knob**

**Heavy Cast Brass Victorian** 

- Bolt Fix Product for maximum strength
- Diameter: 75mm
- Projection: 72mm



PSS SSS

#### SOX316CDK

# **Heavy Cast Brass Ringed**

**Centre Door Knob** 

#### • 80mm rose diameter

- 120mm central bolt with matching finish
- 70mm sized knob



### • 80mm rose diameter • Traditional Victorian

with matching finish bolt head

**Centre Door Knob** 

- 80mm x 85mm





















**DAR-VCDK** 

#### **Centre Knob**

- 102mm Diameter
- 100mm Projection
- 107mm Rose
- Complete with fixings
- Available in Polished Brass, Polished Chrome and Satin Chrome







**DAR-CDK** 

#### **Octagonal Centre Door Knob**

Solid Brass

DAR-OCDK

- Complete with fixings
- 85mm Backplate
- 75mm Projection
- Available in Polished Brass, Polished Chrome,





# DART BRASS COLLECTION



#### **Octagonal Centre Door Knob**

- Solid Brass
- Complete with fixings
- 60mm Backplate
- 75mm Projection
- Rose diameter 65mm
- Available in Polished Brass, Polished Chrome, or Satin Chrome









#### **Solid Brass Lion Head Door Knocker**

- Lion Head Size: 112mm x 106mm
- Overall Length: 170mm
- Ring Size: 105mm
- Projection: 45mm
- Stud: 46mm diameter



**DAR-LHDK** 











#### **Solid Brass Ring Door Knocker**

- Ring Size: 101mm x 96mm
- Overall Length: 125mm
- Stud: 35mm diameter
- Projection: 36mm



DAR-RDK-118



#### **Heavy Cast Brass** Slim Doctors Door Knocker

and polished to produce a traditional Doctors style knocker. The slim design includes a petite 55mm fixing plate allows for fixing to doors with a narrow centre.

- Supplied with fixings

Available finishes: Polished Brass, Polished Chrome, Satin Nickel and Antique Brass









**DAR-SDDK** 

#### **Bull Ring Door Knocker**

- Classic Bull Ring design
- Face fixing for easy installation and saves you drilling through the door
- Includes fixing bracket
- Size: 127mm diameter ring
- · Available in Polished Chrome, Graphite, Polished Gold, Rose Gold, Black & Polished Bronze





#### **TIMBER**SERIES

#### **TS-BRDK**



#### Horsetail Door Knocker

- Stylish and classic design
- Crop-able through fix bolt system to suit a wide range of door thickness's
- Size: 36mm x 168mm (48mm depth)
- Available in Polished Chrome, Graphite, Polished Gold, Satin Chrome & Polished Bronze





#### TIMBERSERIES

#### TS-HDK



#### **Bull Ring Door Knocker**

- Face fix for easy installation
- Bull ring 127mm diameter
- Overall height including base 165mm
- 480hr corrosion resistant
- Available in Black or Pewter





#### **Devoran Ring Knocker**

- 95mm Diameter
- Complete with fixings







**DEV-BRDK** 



DEVRK

#### **Spire Door** Knocker

- Face fix for easy installation
- 98mm wide overall height 123mm
- · Available in Black or Pewter



**DEV-SPIR** 





#### SOX 316 Deco **Knocker**

- 166x40x7.5mm
- 10 year mechanical guarantee
- Complete with fixings












SOXDK-DECO









#### **TS-NU-LETT**

**TECH AND ROUTING DETAILS AVAILABLE** 

ONLINE



#### **Letter Plate**

- Solid Brass sprung letter plate
- Backplate: 10 x 3" = 254 x 79mm, 12 x 4" = 305 x 102mm
- Aperture: 10 x 3" = 188 x 42mm, 12 x 4" = 248 x 60mm
- Other finishes available
- Complete with fixings



Letterplate Tidy

HERV860





Letterplate HERV850



PREMIUM FINISHES AVAILABLE SHOWN ON PAGE 13



#### Period Cast Brass Letter Plate with Embossed Letters



- 8mm projection
- Complete with fixing bolts
- Matching Tidy available









10 x 3" 12 x 4" **DAR-PLPL-10 DAR-PLPL-12** 

# Dart Period Cast Brass Letter Plate • 8mm projection • Clean design • Complete with fixing bolts • Matching Tidy available 10 × 3" DART BRASS COLLECTION 12 × 4" DAR-PLP-10 DAR-PLP-12

#### Period Cast Brass Letter Plate with Embossed Letters and Knocker



- 8mm projection
- Complete with fixing bolts
- Matching Tidy available



# Period Cast Brass Letter Plate with Knocker

- 8mm projection
- Complete with
- fixing bolts
   Matching Tidy available











10 x 3" 12 x 4" **DAR-PPKLPL-10 DAR-PPKLPL-12** 


10 x 3" 12 x 4" **DAR-PPKLP-10 DAR-PPKLP-12** 

#### **Devoran Letter Plate**

- Fits doors from 42mm to 80mm
- Available in 2 finishes
- External 316 x 88mm overall size
- Internal 290 x 84mm overall size
- Available in Black or Pewter

TRADITIONAL STYLE LETTERPLATE WITH MODERN PERFORMANCE

DEV-PL







#### **SCAN FOR DOOR FURNITURE PRICES...**

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/door-hardware/external-door-furniture



#### **Devoran Sleeved Letter Plate**

- 230x41mm
- For up to 75mm thick doors
- Double sprung
- Complete with screws



#### **Devoran Letter Plate**

- Complete with flying bolts
- 270 x 115mm
- Internal tidy available





VANGUARD

DEV-LP-270



#### **DEVSL**

#### **Vanguard Contractors Letter Plate**

- Available in White, Black and Silver finishes
- Double sprung (internal and external flaps)
- Brush pile weather sealing behind internal flap
- Overall Frame Size: 295mm x 70mm
- Flap size: 285mm x 68mm
- Fixing centres: 280mm



#### **Devoran Internal Tidy**

Traditional Devoran Letter Tidy, perfectly suited to a period property.

308x85mm Antique Black

**DEV-LPT** 





Black or White VSMLP-B/W

Silver **VSMLP-S** 

#### **Solid Brass Numerals**

- Supplied with matching screws • 100mm / 4 inch (approx) in height
- 6mm thick
- Available in numbers 0-9
- Available characters A & B

Available finishes: Polished Brass, Polished Chrome, Satin Nickel and Antique Brass



DAR-NU

0123456789AB



#### **Devoran Numerals**

- Material: Malleable Cast Iron
- Black Antique finish
- Traditional Design
- Complete with screws Height: 100mm
- 0-9 Numerals available



**DEV-NU** 



0123456789

#### **Cast Brass Period Round Bell Push - 75mm**

- 75mm Diameter
- 15mm projection
- Classic bevelled ring design
- Complete with matching screws



**DAR-RBP** 





#### **Cast Brass Period Oblong** Bell Push - 76mm

- 76mm x 32mm
- 21mm projection
- Ornate design
- matching screws











**DAR-OBP** 

30

30

POLISHED CHROME

#### **Bi-Fold Magnetic Catch**

These magnetic catches are designed to hold back the sashes on a bi-fold door when they are open in the fold position. They keep the sashes stacked neatly to one side.

The catches are supplied as a pair and are packaged along with screws for two fixing methods.

Each catch is also supplied with an anti-rotation grub screw.

Available in the following finishes: White, Black, Polished Chrome, Satin Chrome, Anthracite Grey, Silver and Enduro Steel

- Two height options 65mm and (25mm on request)
- Supplied complete with fixings
- Discreet appearance only 30mm diameter
- 10 year guarantee

#### 65mm MAG-65

#### SOX 316 Large **Door Viewer**

- Solid 316
- 200 degree view
- For 35-60mm doors





#### **Door Chain**

SILVER (RAL 7040)

32.5

- Backset 57mm
- Traditional slide bolt
- · Complete with fixing



**GREY** (RAL 7016)

SATIN CHROME

WHITE

ENDURO STEEL

SOX316LDV



DAR-DC



#### **Devoran Studs**

• 15x15mm



**DEV-STUD** 

#### **Devoran False Hinge**

- 383x147mm
- Other sizes available



DEV-FH-15



THE ANSWER TO PARTQ... THE TIMBER WINDOW & DOOR **INDUSTRY HAS BEEN LOOKING FOR!** 

See pages 6-7 for more details





ERA accoya 🛆



# So why use External Door Blanks?

# It's simple really... you'll save time and money!

With timber prices rising, the production of doors is becoming more and more expensive. By using one of our Aben-dør (Danish for open-door) door blanks, not only will you save on material costs you'll also save on production time and cost.

The great thing about using these particular door blanks, is not only is it more cost effective, you'll actually end up with a more stable and thermally efficient door than a solid timber door.

#### CONSTRUCTION

1.5mm Chen-Chen veneer
1.5mm cross grain veneer
1.5mm long grain veneer
0.3mm Aluminium - moisture barrier - stabalizer
1.5mm long grain veneer
Insulation - Polystyrene/2 x 4mm plywood

1.5mm long grain veneer
0.3mm Aluminium - moisture barrier - stabalizer

1.5mm long grain veneer 1.5mm cross grain veneer


1.5mm Chen-Chen veneer

#### **BENEFITS**

- Exterior use
- 58mm Thick
- Secure By Design
- 6mm Veneer face (Chen Chen) which can be "V" Grooved
- 0.3mm Aluminium sheet front and back for stability and moisture barrier
- U Value of 1.28 w/m2K (58mm thick doors)
- Insulated core with 2x4mm plywood that adds strength and stability
- Stiles of 150mm Pine
- Rails 240 mm (top/bottom)
- Weight 48kg

We stock 935mm x 2150mm doors which can be cut down to 715mm x 1750mm

#### **PROCESS**







\*Door Blanks will need to be sent on a pallet with an additional delivery cost. Please ask for details.

Save on delivery cost when buying multiple door blanks.

FOR FULL TECHNICAL DETAILS AND SPECIFICATION, PLEASE CONTACT OUR SALES TEAM.









"At JTP Joinery we've been using Aben-dør door blanks for over 3 years with great success. They are versatile, adaptable and most importantly stable and secure. The vast majority of our joinery is factory sprayed meaning we rely heavily on all materials taking a spray finish well, the Aben-dør door blank ticks all the boxes in this department.

Overall a fantastic product at an affordable price."

Tom Buckler, JTP JOINERY



Joinery by LJS Joinery

Scau for

prices

#### Pano Bi-fold Door Hardware

The Pano Bi-fold door system is a bottom rolling system that has numerous benefits that'll enhance the final aesthetic of your Bi-fold doors whilst being simple, easy to install, and practical.

The main benefit of the Pano system is that the weight of the doors and frame are supported via the cill. This means that there's no requirement to fix in to the lintel to hold the weight of the doors, which can ultimately lead to sagging and the need for adjustment. This can be a common issue with top-hung Bi-fold door systems, so is certainly worth bearing in mind when deciding on which Bi-fold door system to use for your project.

Corrosion resistance is another major benefit of this product. Manufactured from Aluminium each component uses a nylon washer to avoid any possible cross contamination from the moving parts, meaning no two metal components come into contact. The Pano Bifold system has been designed to perform in extreme conditions where corrosion is common and aggressive, therefore it functions brilliantly in any environment.


- Standard Head & Cill sections
- All Tracks rollers and guides in-line and hidden from view
- 2 bottom track options
  - (i) 'E' track that is suitable for recessing the track flush with cill
  - (ii) 'T' Track that is suitable to be fixed directly on top of the cill and can even be put on the a bevelled cill
- All the weight of system is directed to floor via the bottom roller so no need for heavy duty fixings to be applied to head section carrying the weight of the doors
- Height adjustment on bottom roller
- Simple to manufacture and install
- 4 finishes: Silver, Black, Gold and White (special order)
- Fantastic corrosion resistance due to being manufactured out of aluminium with nylon washers, no two bits of metal contact each other
- Bottom roller that will be hidden (rebated) from a 44mm thick doors upwards

#### **3 DOOR KIT INCLUDING:**

- BOTTOM ROLLER
- TOP GUIDE
- TOP POLY CHANNEL (1800mm)
- BOTTOM ALI 'T' TRACK (1800mm)
- 6 x INTERMEDIATE HINGES
- 1 x HINGE HANDLE
- 2 x FLUSH BOLTS

Max Panel Weight: 90kg Max Panel Width: 900mm Max Panel Height: 2700mm

#### **SECTION DETAILS: NOT TO SCALE**




SectionThrough Door at Roller and Guide



Cill with 'T' Track option

#### **TRACK DETAILS: NOT TO SCALE**



#### FOR ORDER FORM PLEASE SEE PAGE 122

**TECHNICAL DETAILS** 



#### Weatherfold 4s

Brio's Weatherfold 4s is recognised as the leading product in exterior folding door hardware. Brio Weatherfold 4s is a top-hung exterior folding system which can handle panels up to 100kg with precision and ease. Large openings of 3.3m high and 16m wide can be achieved with 8 equal size panels folding seamlessly in each direction with inward or outward opening functionality.

Matching hardware comes in four premium finishes: Stainless (SS), Polished Stainless (PS), PVD Brass (PB) and PVD Black (PR). Hinge sets are Non-Mortice as standard, Mortice Round Cornered is available for companies using CNC machines.

- Easy height adjustment
- 4 finishes
- Up to 1000mm flush bolts
- Max Panel Weight: 100kg
- Max Panel Width: 1000mm
- Max Panel Height: 3300mm • Min Panel Thickness: 35-68mm
- Max Number of Panels: 8 each way




#### **3 DOOR KIT INCLUDING:**

- 1 x 250-A-2.5m top track
- 1 x PS13 6M fir for top track
- 1 x 94PPA-2.5 polyprop & ali channel
- 1 x BWS1 pivot set
- 1 x BWS4 hanger set (chrome bearings)
- 1 x BW7 hinge handle set
- 1 x 456 locking flush bolt
- 1 x 456 non-locking flush bolt

#### Hybrid Cill available, please ask for details










**SATIN** 





**OUTWARD OPENING, STAINLESS** STEEL FINISH ON MAX 2500mm





We sell Weather strips by the metre please refer to our Draughtseals catalogue for profiles and prices FOR ORDER FORM PLEASE SEE PAGE 122



# <u>centor</u>

#### **Centor E3 Bi-fold Door Hardware**

Responding to the demands of architects and homeowners wishing to push the boundaries of Bi-fold innovation, Centor E3 hardware is suitable for a range of residential and commercial applications. Providing complete freedom in door design, our E3 hardware accommodates panels up to 1200mm wide by 3600mm high and 115kg, allowing for the extra weight of double and triple glazing.

- Top-hung Bi-fold system
- Inward or outward opening panels
- Double or triple glazed
- Use with timber or aluminium doors
- Exterior or interior use
- Cycle tested to the equivalent of opening and closing panels every day for 40 years
- Secure E3-based doors with Centor
- Drop bolts or Centor Twin point locks
- Backed by a 10-year warranty
- Dimensions are intended as a guide only
- Calculated weight checks should be performed to ensure doors built to maximum height and widths do not exceed maximum weight

#### **3 DOOR KIT INCLUDING:**

- 1 x 3m Aluminium Top Track
- 1 x 2994 Bottom Poly Channel
- 1 x Pivot Set
- 1 x Hinge Handle Set/Offset
- 1 x Intermediate Hanger Set
- 1 x Locking Drop Bolt
- 1x Non Locking Drop Bolt
- 1 x Track Seal
- 1 x Floor Channel Retainer

#### Hybrid Cill available, please ask for details

**POLISHED** STAINLESS STEEL

PVD












Max Panel Weight: 115kg Max Panel Width: 1200mm Max Panel Height: 3600mm

> **SATIN STAINLESS STEEL**



**HYBRID CILL SHOWN** TIMBER CILL DETAILS AVAILABLE, PLEASE ASK FOR INFORMATION

We sell Weather strips by the metre please refer to our Draughtseals catalogue for profiles and prices FOR ORDER FORM PLEASE SEE PAGE 122

#### **Centor E3 Components**




#### INTERMEDIATE HINGE SET



#### JAMB PIVOT SET





#### **EVEN LEAF END SET**



#### PLEASE CONTACT SALES FOR FULL DETAILS.

#### Retractable Insect Screen and Shade



Centor's award-winning retractable insect screens, sun shades and blackout blinds have solved the problem of screening folding doors, hinged patio doors, sliding glass doors and more.

A common misconception in the UK is that flying insects aren't a problem. However, if you speak to anyone with screens installed in their homes, they'll tell you how useful they actually are, whether for flies during the summer months, midges in evenings or moths at night.

#### PLEASE CONTACT SALES FOR FULL DETAILS.

#### F3 Floor Rolling System for Folding Doors

F3 hardware system allows Bi-fold doors to be installed into any existing opening without the need for major structural changes to the structural beam. Perfect for use in residential renovations, our F3 hardware accommodates panels 1000mm wide by 2700mm high and 80kg.

- Bottom-rolling Bi-fold system
- Articulated carriers compensate for imperfect openings, ensuring smooth operation
- Guards on the carriers push grit away from the mechanism
- Inward or outward opening panels
- Suitable for double or triple glazing
- Exterior or interior use
- Externally accessible hardware cannot be compromised
- Extensively tested, including finite element analysis, cycle testing and corrosion testing







# SCAN FOR BI-FOLD HARDWARE PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW PRICES.

or visit: **www.sdhardware.co.uk** and enter the product code in the search bar. Please make sure you are logged in first to view trade prices.



# HENDERSON

20

**OUTSIDE** 

25

FAX: 01752 253823

#### **Securefold Pro**

Securefold offers the very best in exterior Bi-fold door hardware to help you securely open up an interior space to the outside world. The Bi-fold door system operates with effortless ease and combines all the aesthetic benefits of folding wooden doors with the additional advantages of uncompromising security and durability.

#### • Made in Britain

- Caters for doors weighing up to 100kg each
- All components are manufactured from marine grade 316 stainless steel
- All hinges are passivated to reduce discolouration when exposed to the elements
- Available in 4 stunning finishes satin, chrome, gold and black
- Caters for up to 8 doors folding to each side of the opening
- 3 hinge options including Mortice Standard, Mortice Round and Non Mortice
- Ratchet system which replaces the need for a grub screw for easy installation
- The Securefold hanger has been designed with an igus bearing which prevents sideways deflection of the doors
- The innovative Securefold track has been designed to prevent debris build up and allow for smooth operation when opening and closing the doors
- Inward and outward opening options available
- Bespoke jamb kit available for a professional finish
- Flush bolts available in locking and non locking versions, with a low profile key
- PAS 24 options available for Part Q applications




Max Panel Weight: 100kg Max Panel Width: 1000mm Max Panel Height: 3300mm


#### **3 DOOR KIT INCLUDING:**

250/3000 Aluminium Top Track - 3000mm
SFW1 Pivot set with non-mortice hinge
SF7 Offset Hinge Handle Set
SFP4 Intermediate Hanger Set
94P/3000 Poly Guide Channel - 3000mm
94SC/3000 Aluminium Support Channel - 3000mm
HEN-FB190 Non-Locking 190mm Flushbolt

HEN-FB190L Locking 190mm Flushbolt

HEN-BS10B Brush Track Seal





MADE IN®

**INSIDE** 

**ORDER NOW ON:** 01752 651330



#### Securefold Drill Jig

Solely designed for use with the Securefold system to speed up construction of the door panels by guaranteeing that the hinge holes are drilled in the correct position.



**HEN-S-JIG** 





# Optional Jamb Kit for use with Aluminium Threshold

Reduce machining by using this unique jamb kit that slots perfectly in to the aluminium threshold.

#### HENSF94T-JAM

#### **Bi-Fold Magnetic Catch**

These magnetic catches are designed to hold back the sashes on a bi-fold door when they are open in the fold position. They keep the sashes stacked neatly to one side.

The catches are supplied as a pair and are packaged along with screws for two fixing methods.

Each catch is also supplied with an anti-rotation grub screw.

**Available in the following finishes:** White, Black, Polished Chrome, Satin Chrome, Anthracite Grey, Silver and Enduro Steel

- Two height options 65mm and (25mm on request)
- Supplied complete with fixings
- Discreet appearance only 30mm diameter
- 10 year guarantee



65mm **MAG-65** 

SECTIDEEOLD DDO Contor C3	
SECUREFOLD PRO Centor E3 TOP HUNG TOP HUNG	WEATHERFOLD 4s TOP HUNG
WINDOW SERVERY INTERFOLD PSS or SSS PSS or SSS	PANO BOTTOM ROLLING
COMPANY NAME:	
ADDRESS:	CONFIGURATIONS
	2 DOOR
	A
POSTCODE:	3 DOOR
TELEPHONE	A. / /
EMAIL:	\
	В.
WIDTH OF OPENING:	4 DOOR
HEIGHT OF OPENING:	A.
LEAF SIZES: HEIGHT WIDTH	
LEAF THICKNESS:	B
FINISH: BLACK P.CHROME GOLD SILVER	c /\^ 🗆
INWARD OPENING OUTWARD OPENING	
MAGNETIC HOLD BACK CATCH	i If the configuration
HYBRID CILL (WEATHERFOLD & CENTOR ONLY)	you require is not above, please attach a drawing.
ADDITIONAL ROW OF HARDWARE (over 2.1m)	
FLUSH BOLTS: Locking Non-Locking	y)
(Pano - Non-Locking onl	
Pano Only	

We have access to many internal and external Bi-Fold and straight sliding systems. Please give us a call or email with your requirements and we will be happy to source for you.



#### **Track Details:** 815 "E" Bottom Track 25mm x 8mm VP94P30 Top Channel VP914 A30 Bottom "P" Track 21mm x 21mm 3.0m x 18mm 106RB/94 Alternative Invisible Top Guide 140mm x 25mm

(0)

0

40mm Minimum

FT10

][φ


VP-RG

#### Vista Patioslide


This patio door hardware is simple effective and competitive. Using standard door styles and frames. Can take up to 200kg sashes in multiple configurations. Guides and Roller manufactured in Stainless Steel.

200kg Max Weight\* 40mm Min Thickness\* 3000mm Max Width\* 3000mm Max Height\* \*Each Sash

#### PLEASE CONTACT OUR SALES TEAM FOR FURTHER INFORMATION OR A DETAILED QUOTE







# **Alternative Recessed Track Detail** Drainage Hole VP-BR-200 FT10 50 5 **Standard Section Detail**

#### **Handle Colour Options:**

Movement -

#### **KIT INCLUDES:**

- VP914A A30: 1 x Bottom 'P' Track 3.0 (Silver)
- VP94P-30: 1 x Top Channel 3.0 (PPA)
- VP-RG: 2 x Rattle Proof Cast Stainless Steel Top Guide
- VP-BR-200: 2 x adjustable 2 wheel Stainless Steel rollers 200kg
- VP-INT-CL: 1 x Pair 3 Metre Aluminium Interlock
- PAT6H: 1 x 6 Point Stainless Steel Patio Door Lock
- PAT6K: 1 x Patio Door Keep
- DC40/40: 1 x Euro Cylinder 40/40
- VPDHP: Patio Door Handle

#### **OPTIONAL EXTRAS:**

- V106RG: Alternative Invisible Top Guide
- 815 'E' Bottom Track (Available in Silver)
- VPDS Door Stops (Black or White)



#### **Interfold**

#### Interfold 4s and Window 35

Interfold 35 uses precision chrome bearings with an offset guide and concealed channel to fold top hung panels of 35kg in residential and commercial folding window and door applications.

This system is a smaller version of the leading Exterior 4s, with easy adjustment and simple assembly. It comes with 2 different bottom tracks which are either concealed or surface mounted. The system allows panels to close against rebates which is necessary for applications where sound and light proofing is required. Interfold hardware is suitable for timber door systems with all doors of equal width.

- Available in Polished and Satin Stainless Steel
- Max Panel Weight: 35kg
- Max Panel Width: 1000mm
- Max Panel Height: 2600mm
- Min Panel Thickness: 35mm
- Max Number of Panels: 6 each way
- Full technical details available
- · Recess track



Joinery by James Ratford Bridge






PLEASE CONTACT US FOR PRICES! FOR ORDER FORM PLEASE SEE PAGE 10




**TECHNICAL DETAILS** 

50









23.3

41

0

#### **Enfold 30**

Top-hung box track with 4 wheel hangers (no bottom channel on layouts upto 3 leaves hinged together). High quality hinges and bolts in either Satin Stainless or Polished Gold PVD finishes.

- Suitable for Residential folding door partitions in applications such as between house and conservatory
- Aluminium anodised top track, 4 wheel hangers with nylon tyred wheels
- Stainless Steel Hinges and Solid Brass bodied flush bolts in either Satin Stainless Steel or Polished Gold PVD finishes
- More configurations available

#### **PLEASE CONTACT US FOR PRICES!**

FULL DATA SHEET AVAILABLE

#### **Endfold 50**

Top hung box track with 4 wheel hangers. High-quality hinges and bolts in either Satin Stainless Steel or Polished Gold PVD finishes. Through the use of pivots at the stacking end this product can accommodate equal width leaves throughout.

- Suitable for Residential and Commercial folding door partitions in applications such as between communal areas
- Aluminium anodised top track, 4 wheel hangers with nylon tyred wheels
- Stainless Steel Hinges and solid Brass bodied flush bolts in either Satin Stainless Steel or Polished Gold PVD finishes

This product is sold in component form.

#### **PLEASE CONTACT US FOR PRICES!**

FULL DATA SHEET AVAILABLE

#### **Double Top**

Sliding wardrobe door kit for bypassing doors weighing up to 40kg

Sliding wardrobes are a great alternative to traditional hinged doors to make the most out of valuable floor space in the bedroom whilst also maintaining a stylish and elegant interior.

- · Caters for wooden doors weighing up to 45kg
- Ideal for bypassing sliding wardrobe doors
- Available in four kits for a variety of track lengths
- Fittings kit available for additional doors
- Easy to install installation video available

#### **COMPONENTS LIST:**

- Aluminium Anti-Rise Soffit Fixing Track (x 1)
- Outer Offset Hangers (x 2)
- Inner Offset Hangers (x 2)
- Rubber Buffered Stop (x 1) • Nylon Guide (x 1)










# HENDERSON



HEN-W12 1200mm Track

HEN-W18 1800mm Track

FULL DATA SHEET AVAILABLE, PLEASE ASK FOR DETAILS

#### **Husky 100** (Steel Track)

Sliding door kit for wooden and metal doors weighing up to 100kg

Our Husky sliding door kit is ideal for sliding wardrobe doors and sliding room dividers in residential and commercial properties. Husky Sliding 100 supports doors up to 100kg.

- Available with a choice of galvanised steel, anodised aluminium or mill finish track, complemented with nylon rollers to ensure a smooth, quiet operation
- Track can be soffit or faced fixed to allow flexibility of installation
- Fittings kit available for when more than one door is required (ask for details)
- Simultaneous Action Kit available for bi-parting doors (ask for details)


#### **COMPONENTS LIST:**

- Track (x1)
- Face Fixed Brackets (x5)
- Nylon Bodied Hangers (x2)
- Nylon Guide (x1)
- Clip Stop (x1)
- Track Stop (x1)













1800mm Track (Opening Width 950mm)

FULL DATA SHEET AVAILABLE, PLEASE ASK FOR DETAILS

#### **Pocket Door** for single and bi-parting doors


Unique pocket door system that works with cavity walls for doors weighing up to 60kg

Our pocket door kit offers an innovative sliding door solution whereby the door slides into a cavity wall. Offers amazing space saving benefits where interior space is limited such as bedrooms, bathrooms, en-suites, kitchens and walk in wardrobes.

- Offers amazing space saving benefits for rooms where interior space is limited
- Kit comes complete with satin flush pull set and pre- assembled aluminium track and header mechanism
- For double door specifications, two kits can be purchased
- Available as standard or with dual soft close
- · A Simultaneous Action Kit is available as an optional extra for bi-parting doors
- Caters for doors up to 2315mm x 930mm
- Easy and rapid installation

#### **COMPONENTS LIST:**

- Hangers (x2)
- Galvanised Steel Wrapped Softwood Studs (x4)
- Galvanised Steel Stud Spacing Brackets (x2)
- Galvanised Steel Stud Support Brackets (x2)
- Softwood Header Assembly (with pre-fitted track) (x1)
- Clip Stop with Adjustable Retention (x2)
- Track Stop (x1)
- Flush Pulls (x2)
- Guide (x1)
- End Brackets (x2)



HENDERSON

#### **OPTIONS**

**HEN-PDK3** 1981 x 762mm Panel

#### PDKSOFT3 (with Dual Soft Close)

1981 x 762mm Panel

#### **HEN-PDK4** 1981 x 838mm Panel

#### PDKSOFT4

(with Dual Soft Close)

1981 x 838mm Panel

FULL DATA SHEET AVAILABLE, PLEASE ASK FOR DETAILS

#### Rustic 100

Unique sliding barn door hardware with beautifully crafted hangers for doors weighing up to 100kg

Rustic 100 sliding barn door hardware is ideal for barn conversions, period properties or simply for a unique feature in the home. Suitable for internal doors weighing up to 100kg, the system creates a traditional look for sliding wooden doors with the exposed steel straps fastening down the front of the door.

- For wooden doors weighing up to 100kg
- Designed with a flat back track and exposed steel hangers for a rustic finish
- Available in 2000mm or 3000mm track lengths
- Two finishes available matt black and stainless steel
- Available as standard, single soft stop or double soft stop
- Kit comes complete with 2 oval flush pulls
- Fittings kit available for double door specifications





Black HEN-R100-200 2000mm Rail

**Stainless Steel** HEN-R100-200SS 2000mm Rail

FULL DATA SHEET AVAILABLE, PLEASE ASK FOR DETAILS

#### **COMPONENTS LIST:**


- Hangers (x2)
- Door Stops (x2)
- Floor Guide (x1)
- Flat Track (x1)
- Track Wall Spacers x 5 for 2000mm
- Anti-Jump Cam (x2)
- Oval Flush Pulls (x2)

#### **Optional Extra:**


R80SOFT Soft Stop for doors weighing up to 80kg



#### HENDERSON




FAX: 01752 253823



Our professional pocket door kit has been redesigned and updated to include a smooth running track with low initial friction. The kits are suitable for cavity walls holding doors weighing up to 120kg.

- Extremely easy to install
- Designed with a high quality aluminium frame with push together parts
- Available in 7 kit pack options to cater for doors up to 2315mm x 930mm, our stocked sizes are shown below
- For bi-parting door applications, two kits should be purchased
- Optional accessories include a dual soft close to prevent slamming and a timber liner kit for a professional finish
- Kits can be cut to suit non standard door sizes



#### **COMPONENTS LIST:**

- Track
- Aluminium uprights
- Hangers
- Fixing plates
- Clip stop
- Noggin
- Floor bracket
- Guide

#### **OPTIONS**

**HEN-PDKPROH3** 

1981 x 762mm Panel

**HEN-PDKPROH4** 

1981 x 838mm Panel

HEN-SOFTHP60 **Optional Dual Soft Close** 

Door Weight 10-60kg

**HEN-SOFTHP120 Optional Dual Soft Close** 

Door Weight 60-120kg HEN-LKH-120

Single Door Liner Kit 120mm Wall Thickness

HEN-LKH-125 **Single Door Liner Kit** 125mm Wall Thickness

HEN-BILKH-120 **Double Door Liner Kit** 120mm Wall Thickness

HEN-BILKH-125 **Double Door Liner Kit** 125mm Wall Thickness



# Roomflex 40





#### **Roomflex 40**

The Henderson Roomflex 40 is an innovative internal folding door hardware system designed to optimise and enhance versatile living spaces. Unlike traditional internal folding door systems, Roomflex 40 has been designed to eliminate the need for a lower track, resulting in a visually pleasing and unobstructed pathway connecting two rooms.

- Suitable for doors weighing up to 40kg
- The system can be used on rebated jambs
- The aluminium track provides a smooth, quiet operation (Sold separately)
- The system does not require a floor channel eliminating trip hazards
- Reduces noise pollution between rooms
- Selected configurations available in kit form for ease of ordering
- Nylon guide wheel with precision bearings
- Maximum panel width of 838mm
- Wheels are made from a patented polymer material to ensure the longevity
- Available in 8 door configurations to cater for openings width over 5000mm

#### **OPTIONS**

HEN-RFP40-2-1 2 + 1 System

HEN-RFP40-3

2 + 0 System

HEN-RFP40-3-1


3 + 1 System

HEN-RFP40-3-2

3 + 2 System

HEN-RFP40-3-3

3 + 3 System



#### **COMPONENTS LIST:**

- Pivot set
- Intermediate hinge handle set
- Offset hinge handle set
- End hanger hinge
- Wrapped hanger hinge
- Intermediate hanger hinge set
- Flush holts

All above components are kit dependant

#### SOX Stainless Steel Patio/Bi-fold Door **Hook Lock and Keep (40mm Backset)**

The SOX Stainless Steel Patio Hook Lock, provides superior security and great functionality for a variety of gate and door systems.

- Versatile Application: Suitable for patio doors, bi-fold doors, swing gates and sliding gates, offering flexible security solutions for various entryways.
- Premium Build: Constructed entirely from 100% stainless steel, including the mechanism, hook, front plate, chassis, and internal components, ensuring exceptional durability and resistance to corrosion.
- Enhanced Security: The 33 mm throw hook, combined with an anti-lift pin, provides secure anchoring and protection. The anti-theft pin is removable,  $% \left( \frac{1}{2}\right) =\frac{1}{2}\left( \frac{1}{2}\right) \left( \frac{1}{2$ making the lock adaptable for bi-fold doors and swing gates.
- Night Locking Capability: Features a stainless steel hook designed to ensure secure locking during the night.





Hook Lock SOX-HL-40

Keep SOX-HK1-SSS



#### **Softclose**

Softclose 80 is an ingenious device that will slow down a sliding door weighing up to 80kg and gently close it over the last 110mm of travel.

• Max door weight - 80kg



#### **Pocket Door Touch Latch**

Pocket doors can finally be set up to sit 100% into the wall without the need for edge fix handles or finger pulls. This device simply fits on the back of the door. When you open the door the last 20-30mm activates the catch and lets the door sit flush with the wall. When you wish to close the door a simple press on the door edge will then release the door into the opening. It's as simple as that!! Can be used with all our pocket doors and in conjunction with our softclose unit.



#### **Henderson Round Sliding Door Lock**

- · Choose from satin nickel, chrome, black, or satin brass to suit your decor
- Fits Doors 35mm and 45mm thick
- Includes lockable flush pulls, finger pull, lock case, and strike plate
- Designed with a turn-and-release mechanism for quick access in emergencies

02040068 HEN-EDRI 0204004

#### **Round Sliding Door** Handle Set with Door **Edge Pull**

- Ideal for use with Pocket Door or soft close systems
- Contains x 2 flush pulls (29mm outer diameter) and x 1 door edge pull (52mm h x 29mm w outer measurements)
- Polished or Satin Chrome & Black





#### **Brass Pocket Door Edge Pull**

- Length: 100mm
- Width: 19mm
- Polished Brass. Polished Chrome, Antique Brass, Satin Chrome, Satin Nickel, Matt Bronze. Satin Brass or Matt Black



385EDGE

#### **Brio Flush Bolts**

- Available in Polished Gold, Polished Chrome. Stainless Steel & Matt Black
- 190, 450, 600 or 1000mm Locking or Non-Locking
- 190mm shown



#### Flush Bolt

- Stainless Steel
- Non-Locking
- 110x24mm



#### **Brass Flush Pull**

- For use with Pocket Doors
- Suits door thickness 35-52mm
- Projection: 13mm

C1165

- Plate Diameter: 57mm
- Plate Thickness: 2mm
- Polished Brass, Polished Chrome, Antique Brass, Satin Chrome, Satin Nickel, Matt Bronze, Satin Brass or Matt Black



**WEA456** 

**HEN-FB110S** 

**RD2322** 

#### OTHER ACCESSORIES AVAILABLE ONLINE OR PLEASE ASK FOR DETAILS

# Stainless Steel Ball Bearing Hinges

- Complete with screws
- FD30/60
- CE Marked
- 2 or 3mm leaf thickness

#### **WHY USE?**

- Smooth operation
- Heavy weight carrying capacity
- Suited door hinges

#### 

Height (H) x Width (W) x Gauge (G)

# (Pack of 3) Stainless Steel Ball Bearing Hinges

- Complete with screws
- 3mm leaf thickness
- FD30
- CE Marked
- Pack of 3



#### eclipse

CODE	SIZE	CLASS
PK3SSS	4" (102x76x2mm)	13

#### **Satin Stainless Steel**

• Priced per pair



#### eclipse

CODE	SIZE	CLASS
14852	3" (76x51x2mm)	7
14854	4" (102x76x3mm)	13

#### **Polished Stainless Steel**

Priced per pair

Hinge sizing



#### eclipse

CODE	SIZE	CLASS
14851	3" (76x51x2mm)	7
14853	4" (102x76x3mm)	13

# **Electro-Brass Stainless Steel**

• Priced per pair





eclipse

CODE	SIZE	CLASS
14885	3" (76x51x2mm)	7
14882	4" (102x76x3mm)	13
14841EBP	4" (102x102x3mm)	13

#### **Black Stainless Steel**

• Priced per pair



#### eclipse

CODE	SIZE	CLASS
14917	3" (76x51x2mm)	7
14920	4" (102x76x3mm)	13
14841BLK	4" (102x102x3mm)	13

#### Matt Antique Brass Stainless Steel

• Priced per pair

eclipse





CODE	SIZE	CLASS
14852-MAB	3" (76x51x2mm)	7
14854-MAB	4" (102x76x3mm)	13
14841MAB	4" (102x102x3mm)	13

#### 316 Stainless Steel

- Priced per pair
- 316-14852 & 316-14883 Satin finish
- 316-14884 Polished finish



CODE	SIZE	CLASS
316-14852	3" (76x51x2mm)	7
316-14884	4" (102x76x3mm)	13
316-14883	4" (102x76x3mm)	13

#### Satin Brass Stainless Steel

• Priced per pair



#### eclipse

CODE	SIZE	CLASS
14852SBP	3" (76x51x2mm)	7
14854SBP	4" (102x76x3mm)	13
14841SBP	4" (102x102x3mm)	13

# Square End Dark Bronze Stainless Steel

• Priced per pair



eciipse
---------

CODE	SIZE	CLASS
14854DBZ	4" (102x76x3mm)	13
14841DBZ	4" (102x102x3mm)	13







SCAN FOR HINGE PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW PRICES.

WE CAN OBTAIN MOST HINGES FROM ALL MANUFACTURERS, PLEASE CONTACT OUR SALES TEAM

#### **Radius End Black Stainless Steel**

• Priced per pair



4		
,		
1		
"	29	







#### eclipse

CODE	SIZE	CLASS
14869-BL	4" (102x76x3mm)	13

acil	mea.
ecii	Dae

Priced per pack of 3

CODE	SIZE	CLASS
14869SBP	4" (102x76x3mm)	13
PK854SBP	4" (102x76x3mm)	13

#### eclipse

CODE	SIZE	CLASS
14869MAB	4" (102x76x3mm)	13
PK854MAB	4" (102x76x3mm)	13

#### **Radius End Satin Stainless Steel**

• 14905 & 14869 - Priced per pair

• PK869 - Pack of 3

CODE 14905 14869 PK869





SIZE	CLASS
" (76x51x2mm)	7
' (102x76x3mm)	13

#### **Radius End Polished** Stainless Steel

Priced per pair





•	rriceu	hei	Pall	
			Action 1	

Radius End Electro

**Brass Stainless Steel** 



	ı.		-
ec		00	Θ.

CODE	SIZE	CLASS
14906	3" (76x51x2mm)	7
14872	4" (102x76x3mm)	13

#### eclipse

CODE	SIZE	CLASS
14907	3" (76x51x2mm)	7
14879	4" (102x76x3mm)	13

#### **Washered Butt Hinges**

4" (102x76x3mm)

#### **Solid Brass Washered Butt Hinges -**

Matt Bronze

- Double Phosphor Bronze Washered
- Price per pair



Bu
Sa
• Do
Br
D.

#### Solid Brass Washered **Butt Hinges** tin Nickel

- ouble Phosphor ronze Washered
- · Price per pair



1"
0 0
0

#### **Solid Brass Washered Butt Hinges -**

Polished Nickel

- Double Phosphor Bronze Washered
- · Price per pair



C CARLISLE BRASS	

	CODE	SIZE	CLASS
	HDPBW21-MBRZ	3" (76x50x2.5mm)	7
ľ	HDPBW61-MBRZ	4" (102x67x4mm)	13

C CHARLES CHARLES		
CODE	SIZE	
HDPRW21-SN	3" (76×50×2 5mm)	

CARLISLE BRASS	

CODE	SIZE	CLASS
HDPBW21-PN	3" (76x50x2.5mm)	7

#### **Solid Brass Washered Butt Hinges -**

Matt Black

- Double Phosphor Bronze Washered
- Price per pair



12:30

C CARLISLE BRASS		
CODE	SIZE	CLASS
HDPBW21-MB	3" (76x50x2.5mm)	7

#### **Solid Brass Washered Butt Hinges -**

**Antique Brass** 

- Double Phosphor Bronze Washered
- · Price per pair



		-	6	2
	-	•		0
4	28		9	

CODE	SIZE	CLASS
HDPBW21-AB	3" (76x50x2.5mm)	7
HDPBW61-AB	4" (102x67x4mm)	13

#### **Solid Brass Washered Butt Hinges -**

Satin Brass

- Double Phosphor Bronze Washered
- · Price per pair



CARLISLE BRA

CODE	SIZE	CLASS
HDPBW21-SB	3" (76x50x2.5mm)	7
HDPBW61-SB	4" (102x67x4mm)	13

WE CAN OBTAIN MOST HINGES FROM ALL MANUFACTURERS, PLEASE CONTACT OUR SALES TEAM


#### **Washered Hinges**

Washered hinges have been overlooked in recent times, however these hinges are perfect for internal or external use.

#### **WHY USE?**

- Slimmer Knuckle
- · Aesthetically pleasing
- Will never rust, so perfect for external use in coastal areas
- Double phosphor washers ensuring noise free smooth operation for many years

# $\begin{array}{l} \textbf{Hinge sizing} \\ \textbf{Height (H)} \times \textbf{Width (W)} \times \textbf{Gauge (G)} \end{array}$



# Solid Brass Washered Butt Hinges -

Polished Brass

- Double Phosphor Bronze Washered
- Price per pair



CODE	SIZE	CLASS
HDPBW21	3" (76x50x2.5mm)	7
HDPBW4	4" (102x67x2.5mm)	13
HDPBW61	4" (102x67x4mm)	13
HDPBW8	4" (102x76x4mm)	13

# Satin Chrome Washered Solid Brass PBW Hinges

- Brass pir
- 3mm leaf thickness
- Double Phosphor
- Bronze Washered
- Price per pair



CODE	SIZE	CLASS
14831	3" (76x51x3mm)	7
14834	4" (102x67x3mm)	13

#### Polished Chrome Washered Solid Brass PBW Hinges

- Brass pin
- 3mm leaf thickness
- Double Phosphor
- Bronze Washered
- Price per pair



CODE	SIZE	CLASS
14862	3" (76x51x3mm)	7
14863	4" (102x67x3mm)	13

#### Polished Solid Brass Washered PBW Hinges

- Brass pin
- 3mm leaf thickness
- Double Phosphor
- Bronze Washered
- Price per pair
- Heavy Duty version
- Heavy Duty ver: (14832)



CODE	SIZE	CLASS
14828 3" (76x51x3mm)		7
14805 4" (102x76x3mm)		13
14832	4" (102x67x3.5mm)	13

# Satin Stainless Steel with Stainless Steel Washers

- Complete with screws
- FD30/60
- Price per pair
- Great for use with Accoya



CODE	SIZE	CLASS
14880	3" (76x51x2mm)	7
14856	4" (102x76x3mm)	7

# Polished Stainless Steel with Stainless Steel Washers

• Complete with screws

• FD30/60

• Price per pair



CODE	CITE	CLACC
CODE	SIZE	CLASS
14881	3" (76x51x2mm)	7
14848	4" (102x76x3mm)	13

# **Electro Brass with Stainless Steel Washers**

- Complete with screws
- FD30/60
- Price per pair



CODE	SIZE	CLASS
14826	3" (76x51x2mm)	7
14886	4" (102x76x3mm)	13

# **Hinge Weight Chart** (BS EN 1935)

This is the European standard for the classification of the strength and durability of side-hung metal hinges.

Hinges are tested against a standard door and number of cycles to achieve certification.

A single hinge is tested, whereas in reality a minimum of three hinges will support the door. This chart shows the various grades.

Hinge Class	Door Mass	Cycles per Annum
1	10kg	10,000
2	20kg	10,000
3	20kg	25,000
4	20kg	200,000
5	40kg	10,000
6	40kg	25,000
7	40kg	200,000
8	60kg	10,000
9	60kg	25,000
10	60kg	200,000
11	80kg	200,000
12	100kg	200,000
13	120kg	200,000
14	160kg	200,000

WE CAN OBTAIN MOST HINGES FROM ALL MANUFACTURERS, PLEASE CONTACT OUR SALES TEAM

**CONTACT US OR LOGIN ONLINE FOR TRADE PRICES** 

# TOP QUALITY HINGES... **WITHOUT\*** THE HEFTY PRICE TAG!

The **SOX Atom** hinge is constructed from coated stainless steel for greater resistance to corrosion. A high-performance premium product that has been UKAS tested to Grade 13, 200,000 cycles. It's a three-knuckle hinge, which houses polymer bearings. The advantage of using polymer over the traditional ball bearings is any grease seepage should stop, unlike ball bearing hinges. Ball bearing hinges also have a steel ball bearing which can cause corrosion over time even on the highest grade stainless steel hinges.

- Tested in a UKAS accredited Laboratory (Data available on request)
- Radius or Square hinges available in all 7 finishes
- Up to 120kg Doors
- 102x76x3mm
- Great for use with Accoya

\*Compared to some competitor's prices, these hinges are often 2-3 times cheaper, with the same corrosion resistance results.















SQUARE END **ATOM-SQ** 

PACK OF 2

RADIUS END ATOM-RE













# Polished Brass Laquered Projection Hinge

- Solid Brass
- 11mm Knuckle
- 102 x 102 x 3mm
- Priced per pair



J9026-PB J9026-PC J9026-SC
Polished Polished Satin
Brass Chrome Chrome

# Polished Brass Laquered Projection Hinge

- Solid Brass
- 12mm Knuckle
- 102 x 151 x 4mm
- Priced per pair



J9036-PB J9036-PC J9036-SC Polished Polished Satin Brass Chrome Chrome

# Polished Brass Laquered Projection Hinge

- Solid Brass
- 12.5mm Knuckle
- 102 x 125 x 4.5mm
- Priced per pair



J9035-PB J9035-PC J9035-SC Polished Polished Satin Brass Chrome Chrome

# Polished Brass Laquered Projection Hinge

- Solid Brass
- 13mm Knuckle
- 102 x 200 x 4.5mm
- · Priced per pair




J9037-PB J9037-PC J9037-SC Polished Polished Satin Brass Chrome Chrome

#### Polished Stainless Steel Parliament Hinge

- Complete with screws
- Priced per pair

CODE	DESCRIPTION	
14989	102x51x102mm Satin Stainless Steel Parliament Hinge (Grade 13)	
14990	14990 102x51x102mm Polished Stainless Steel Parliament Hinge (Grade 13)	
14991	1 102x51x102mm Electro Brass Parliament Hinge (Grade 13)	
14992	992 102x76x127mm Satin Stainless Steel Parliament Hinge	
14993	14993 102x76x127mm Polished Stainless Steel Parliament Hinge	
14994	14994 102x76x127mm Electro Brass Parliament Hinge	
14995	102x102x152mm Satin Stainless Steel Parliament Hinge	
14996	14996 102x102x152mm Polished Stainless Steel Parliament Hinge	
14997	102x102x152mm Electro Brass Parliament Hinge	





#### **SCAN FOR HINGE PRICES...**

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/general-hardware/hinges





#### Class 14 Heavy Duty Hinges (160kg)

- Tested to 200,000 cycles
- Self Lubricating
- Maintenance Free
- Security Pinned Caps
- BS EN 1935 Performance Tested
- Periodic cleaning and removal will keep the hinge in pristine condition
- Size: 127mm x 76mm x 3mm
- Thrust bearing
- Triple knuckle with phosphor bronze washers
- Complete with screws



Satin Stainless Steel **14107**  Polished Stainless Steel **14108**  Electro-Brass Stainless Steel **14109** 

#### **SOX Stainless Steel Lift Off Hinge**

Our SOX Stainless Steel Lift Off Door Hinges are engineered for durability and compliance with high industry standards.

- 100mm x 88mm
- 3mm gauge
- 14mm diameter knuckle
- Radius corners
- Satin stainless steel finish
- Suitable for doors up to 120kg
- Grade 201 stainless steel
- Hinges are sold as singles, not pairs
- Complete with fixings
- Grade 13



**THE ANSWER** TO PARTQ... **THE TIMBER WINDOW** & DOOR **INDUSTRY HAS BEEN LOOKING FOR!** 



FOR SINGLE DOORS

#### See pages 6-7 for more details





#### **Load Pro Hinge**

The Nico 3D Adjustable Door Hinge is part of the Nico range of heavy duty, maintenance-free door hinges developed for long-life performance under the most arduous conditions.

Available in a selection of corrosion resistant finishes including Polished Chrome, Brass and Supercoat 500 - achieving Grade 5 (exceptionally high resistance to corrosion) to BS1670:2007.

It can also be powder coated to any RAL colour on request.

The 3D Hinge is fully adjustable in three directions for precise positioning and fixing. For ease and speed of installation, the patented design allows the hinge to remain fixed to the door during the adjustment process.

Please note; These hinges are not fire rated.

INWARD OPENING ONLY

Polished Black / White Chrome NICLPBL/WH NICLPPC

Polished Gold **NICLPPG** 

Supercoat

#### Miscellaneous Hinges

#### **Stormproof Hinge**

- Solid Brass
- 63mm
- Priced as pairs



#### **Yellow Passivated Stormproof Hinge**

- Screws not supplied
- Boxed in 80's
- 2.5" (63mm)
- Price per pair

1951-YP



SILVER VERSION 1951/SILVER: £1.36

#### **Stainless Steel Stormproof Hinge**



1951-2.5-SS

#### **Rebated Door Hinge**

• 102mm

14663

- · Priced per pair
- 102x76x3mm
- Stainless Steel Complete with
- screws



#### **Hinge Bolts**

- · Added security on external doors
- Priced per pair • SECHB Mild Steel
- SECHB/SSS Stainless Steel Ideal for Accoya





MILD STEEL



STAINLESS STEEL

14868

Mild Steel **SECHB** 

Stainless Steel **SECHB-SSS** 

#### **Budget Internal Mild Steel Ball Bearing Hinges**

Mild Steel Frisco Eclipse hinges for internal doors.

This very competitive range of ball-bearing hinges are manufactured specifically for internal door sets.

- Available in Polished Chrome, Polished Brass, and Satin Chrome
- Sizes: 3" (Grade 7) & 4" (Grade 11)
- 3" FD30, 4" FD60
- 3" up to 40kg doors, 4" up to 80kg doors
- Complete with screws
- Priced per pair

















#### **Polished Brass**

14103

14933

#### **Polished Chrome**

14102

14934

#### **Satin Chrome**

14101

14935



#### **SCAN FOR HINGE PRICES...**

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW TRADE PRICES.

or visit: www.sdhardware.co.uk/general-hardware/hinges



THE ANSWER TO PARTQ... THE TIMBER WINDOW & DOOR **INDUSTRY HAS BEEN LOOKING FOR!** 

See pages 6-7 for more details





**ERA** accoya 🛆




#### **Euro Profile Long Throw Lock**

Suitable for use with gates, sheds and garage doors, our new Euro Profile Long Throw Lock offers many advantages over the existing model.

- High security Euro Profile 6-pin barrel; allowing the flexibility to go to any approved key cutting company to duplicate keys
- High-corrosion resistance; Grade 316 Stainless Steel shoot bolt
- Elongated anti-rattle keep to prevent rattling during windy weather
- Unique bolt design with hardened core and chrome escutcheon plate
- Drill bits and stainless steel security screws included

50mm Throw GLS50

70mm Throw GLS70





#### **Pull Handle for** opposite Lock

- Epoxy Black Handle
- · Finishing touch



**RLEH8BB** 

#### **Ring Gate Latch**

- Galvanised
- 150mm

**RGL6GB** 

Galvanised

Heavy Duty

• Also available in black



2" Automatic Gate Latch

• Material: Carbon Steel



**TRGL6GB** 

#### **Ring Gate Latch - Twisted**

- Galvanised
- 150mm
- Also available in black



#### **Suffolk Thumb Latch**



Galvanised 523585

Black 523369

#### **Brenton Padbolt**

- Galvanised
- Other sizes available
- · Also available in black
- 6 inch



150mm **BP6GB** 

#### **Garage Door Bolts**

- Galvanised
- Other sizes available
- 450mm
- · Also available in black



450mm DDB18GP

Galvanised **AGLHGB** 

> WE HAVE SOURCED ANOTHER GATE HARDWARE MANUFACTURER THAT ARE VERY COMPETITIVE. PLEASE ENQUIRE WITH OUR SALES TEAM FOR PRICES.

# Cranked Band and Hook on Plate Hinge

- Galvanised
- Priced per pair
- Also available in black



450mm **HBC450G**  600mm **HBC600G** 

#### **Strong Tee Hinge**

- Galvanised or Black
- Other sizes available
- Available in blackPriced per pair



Galvanised 450mm **STH18GB**  Black 450mm **STH18BB** 

#### Pair of Heavy Duty Reversible Hinges

- Size: 1200mm
- Finish: Galvanised
- Material: Carbon Steel
- Corrosion rating: 4
- Fixings included
- Also available in black



**HRH1200G** 

# Double Strap Hinge Set with Hook on Plate

- Fixings included
- Finish: Galvanised
- Material: Carbon Steel
- Corrosion Rating: 4



#### **Adjustable Gate Hinge Set**

- Hook to bolt features a 9mm drilled hole for R clips or linchpins (not included) to be fitted to prevent the gate from being lifted off Hooks to drive are barbed, preventing the gate from working loose
- Finish: Galvanised
- Material: Carbon Steel
- Corrosion rating: 4



300mm **DSFH300G**  450mm **DSFH450G** 

600mm **DSFH600G**  300mm **AFH300G**  450mm **AFH450G**  600mm **AFH600G** 

# Pair of Adjustable Band & Hook on Plates

- Finish: Galvanised
- Hinge Type: Adjustable
- Material: Carbon Steel
- Corrosion rating: 4
- Also available in black



#### **Curved Rail Hinge Set**

- Size: 300mm
- Left or Right-Hand available
- Finish: Galvanised
- Material: Carbon Steel
- Hinge Type: Curved
- Corrosion rating: 4



350mm **ABH350G**  450mm **ABH450G**  600mm **ABH600G** 

CRHRG

#### **Metolux Wood Filler & Hardener**

This two-part premium quality wood filler is styrene free for professionals. Supplied with one tube of hardener (additional tubes can be purchased separately).



- Paint-able & stain-able
- Non-slump for corner work
- Accepts all finishes including all known paint systems and varnishes
- Pine, Mahogany, White, Light Oak, Teak & Redwood



A solvent free wood adhesive based upon the latest hybrid resin technology. Can be used internally or externally giving a high strength, 100% waterproof, impact and temperature resistant bond. Ideal for woodworking, joinery and timber construction.

- Fast cure, initial set in just 10 minutes
- Conforms to WATT 91
- Size: 1 Litre

247471



Metolux MET2P



- Easy to use 100ml tubs
- Excellent cleaning properties

**Isopropyl Glass Cleaner** 

- 99% strength
- 1L Bottle shown



- Clean glass to original substrateAllows for better adhesion
- of glazing tapes



IPA1

#### **Metolux 1 Part Filler**

- 250ml
- Pine, Light Oak, Dark Oak, White & Mahogany



#### **Metolux Spreader**

• 85x42x2mm

#### **Painters Mate** Flexible Filler

- High performance acrylic
- Contains fungicide to prevent mould growth
- Available in white
- 310ml

**GEO-PM** 



MET1P

#### Fine Surface Filler

- Sets in 30 minutes
- Fills up to 3mm per layer
- Easy to over-paint
- Low odour
- Water based
- Flexible when drying
- For interior use
- 600g



#### **METSPREAD**

#### **Contractors Decorators Caulk**

- One part, easy to apply flexible filler
- Ideal for sealing gaps and cracks prior to decorating
- For internal and external use
- Available in white
- Bigger 380ml size



#### **Trade Mate Glazing Putty**

- Resistant to direct sunlight
- Solvent Free Acrylic
- Paint-able in 4 hours
- Resistant to rain after 6 hours
- 310ml



**GEO-DC** 

Box Quantity: 20

**DOW-GP** 

Box Quantity: 12

357001

**ORDER NOW ON:** 01752 651330 **FAX:** 01752 253823

#### **Cascapol Non-Foaming Waterproof Joinery Wood Glue**

Cacsapol sets the defining standard of green adhesives. Engineered for external joinery, furniture, doors, windows, and marine applications, its features include waterproof rating to D4 specification, a fast 10-minute bond time, and exceptional bond strength with modified timbers such as Accoya. Completely solvent-free and odourless it delivers a strong, chemical resistant bond without the use of harmful compounds, making it safer and easier to use than polyurethane adhesives.

- Formulated to bond modified timbers (Accoya)
- Solvent & Water Free
- 100% Adhesive
- Easy cleaning
- D4 Waterproof
- Non-Foaming
- Chemical Resistant
- Bonds in 10mins
- Odourless



750g

6 PER BOX

#### K102055

#### **Cascamite Powdered Resin Wood Glue**

Cascamite Powdered Resin Wood Glue, only requires mixing with water to make it ready for use. Used for many woodworking applications including veneering, laminating and assembly.

#### **PROPERTIES**

- Meets requirements of EN12765 Class C3
- Good water resistance
- Quick curing
- Very strong bond
- Can be mixed in small batches



3kg

#### S170101CAS

#### Cascawipe Extra Large Cleaning Wipes

Cascawipes are extra-large cleaning wipes which can be used for hands, tools and timber surfaces. Cascawipes are specially developed for quick and professional removal of Cascapol (Non-Foaming Glue), Cascarez (Liquid Resin Glue), Cascamite (Powdered Resin), Cascaphen (2Pt Liquid Resin Glue), Cascapur (Fast Cure PU Glue) and Cascamate (Mitre Bond) from hands, tools and various surfaces. Cascawipes are a safe alternative to White Spirit and are more effective than soap and water. Cascawipes contain selected solvents as well as skin conditioning agents.

- Use on hands, tools & surfaces
- Removes many chemicals
- Safe alternative to White Spirit
- Contains skin conditioning agents
- More effective than soap and water
- Easy to use



80 Wipes

#### **THE WORKS PRO Sealant & Adhesive**

THE WORKS PRO is the gold standard snagging solution.

- Bonds and seals virtually any material
- No shrinkage or staining
- Paint-able and resists mould growth
- Apply in wet and dry conditions
- Available in black or white
- 290ml



#### THE WORKS PRO X **High Grab Adhesive**

Instant grab and bond, any surface wet or dry, inside or out.

- Bonds and seals virtually any material
- No shrinkage or staining
- Paint-able and resists mould growth
- · Apply in wet and dry conditions
- Available in White
- 290ml

**DOW-X-WH** 



#### **DOW-TWP**

#### **Abrasive Rolls**

- Very high-qualityGrits: 40, 60, 80, 100 120, 150, 180, 240
- Price per roll



#### **Abrasive Belts**

- Very high-quality
- 60-240 grits
- Price per pack of 10



#### **Special Size Belts**



Please contact us for prices on special size belts, stating length, width and grit. Sold in packs of 10.







AR115X50

40 & 60 Grit

AB100X610

# **POA**

#### Air Wedge

- Self-inflatable with hand pump
- Simple and easy to use
- · Reduces risk of scratches or damage to frames
- One air wedge can lift up to 150kg



#### 744101

#### **Stainless Steel Friction Hinge Screws**

- Specifically designed for friction hinges
- Austenitic
- Sold and priced per 1000
- 4.3mm x 25mm



#### **KTX Stainless Steel Screws**



M4.0 x 25mm, M4.0 x 30mm, M4.0 x 40mm, M4.0 x 50mm, M5.0 x 40mm, M5.0 x 50mm, M5.0 x 60mm, M5.0 x 70mm & M5.0 x 100mm

#### SSS4.8X38

Stainless Steel **PH2 Countersunk Head Window Espag Screws** 

- 4.8 x 38mm
- · Large gauge, small head
- 1000 per pack





accoya 🛆



#### FHS4325

#### 6 in 1 Premium Multi Tool

The 6 in 1 painter's tool is the ultimate sidekick for any professional.

1. Scraper

PUR01

- 2. Putty/filler remover
- 3. Roller cleaner
- 4. Putty/filler applicator
- 5. Opening cracks
- 6. Nail set hammerhead end



## PUR02

# 10 in 1 Premium Folding Tool

All the tools you need to paint, in one tool. Nail-set hammerhead end. Full length rust-resistant,

Featuring a folding blade and pocket clip, to secure safely and securely in your pocket.



#### 10 in 1 Premium Tool

This Multi-Tool includes numerous features to set nails, scrape, open cans, spread compound, open/clean cracks, and clean rollers. Includes nail puller, and combination flat/Phillips-head screwdriver key.



#### PUR03

# Folding Utility Knife & Blades

Compact and lightweight fold-able utility knife with a pack of 10 blades.

- · Quick and easy blade release
- Integral belt clip



# **Utility Knife Blades**

Compatible with all standard utility knives. Manufactured using SK2 steel to give a longer life and a sharper cut.

- 3 times more cuts
- Super sharp
- Durable



CODE	PACK SIZE
UBDISP	x 10
<b>UBHANG</b>	x 50
<b>UBHANG100</b>	x 100

# Contractors Paint Brush 1 & 2"

- Mixed synthetic and natural bristles
- High paint loading
- Good coverage
- Smooth paint release and fine finish
- Stainless steel ferrule
- For use with all paints and varnishes

CODE	SIZE
720074	1"
720333	2"



#### 253017

#### **Economy General Purpose Brush**

An economic brush for applying adhesives, sealing agents and a variety of other liquids. Featuring an ergonomic wooden handle with stainless steel ferrule.

- 100% Pure lily bristles
- Good all around compatibility
- Contoured wooden handle
- For use with stains, adhesives, resins and other wood care products and treatments

CODE	SIZE
720384	1"
720409	2"
720671	3"
720385	4"



#### Purdy Monarch Elite Paint Brush Set - 3 Piece

- 1 x 1 inch Brush
- 1 x 1.5 inch Brush
- 1 x 2 inch Brush



MEB-MON1

# SCAN FOR CONSUMABLES PRICES...

PLEASE LOGIN TO YOUR ONLINE TRADE ACCOUNT TO VIEW PRICES.

or visit: **www.sdhardware.co.uk** and enter the product code in the search bar. Please make sure you are logged in first to view trade prices.



#### Purdy Monarch Elite Brushes

 The Purdy Monarch Elite is the ideal brush for applying emulsion paints

CODE	SIZE
MEB-1	1"
MEB-1.5	1.5"
MEB-2	2"



# 10 Years of dedication to the timber window and door industry

# **SD Hardware Ltd**

t. 01752 651330

**f.** 01752 253823

e. sales@sdhardware.co.uk



SASH + DOOR HARDWARE