

# HUSKY 100

HENDERSON

SLIDING DOOR HARDWARE FOR  
WOODEN DOORS UP TO 100KG

WOOD

100KG

METAL

INTERIOR



TECHNICAL DETAILS

SDH

## Overview

Versatile and silent, the Husky sliding door hardware system is ideal for creating wardrobe doors and room dividers with one more more wooden, wooden framed, composite or metal doors at each side. The Husky 100 supports doors of up to 100kg. A fittings kit is available to be purchased which allows an additional door to be fitted to the track.

## Features and Benefits

- Available with a choice of galvanised steel or aluminium track, complemented with nylon rollers to ensure a smooth, quiet operation
- Reliable and highly versatile sliding door hardware utilising precision made components for a trouble free operation
- Suitable for both wooden and metal framed doors
- Metal doors should be lightly constructed or channel or angle framing, clad with sheeting as required
- The opening can be covered by one or a number of doors sliding to either side. When the door travels more than its own width, a continuous bottom guide channel must be used with two guides per doors
- Flexible fixing options. The track may be soffit fixed direct to the underside of the lintel (single or multiple runs) or face fixed with brackets



## Product and Door Specification

Kit Short Code (Steel Track)	Kit Short Code (Aluminium Track)	Door Material	Track Length	Door Thickness Range	Max. Door Width	Max. Door Height	Max. Door Weight
H100/15	H100/15A	R80SOFTD/20	Black	2000mm	36 - 46mm	500 - 10	100kg
H100/18	H100/18A	R80SOFTD/20	Black	2000mm	36 - 46mm	500 - 10	100kg
H100/20	H100/20A	R80SOFTD/30	Black	3000mm	36 - 46mm	500 - 100	100kg
H100/24	H100/24A	R80SSSOFT/20	Stainless Steel	2000mm	36 - 46mm	500 - 100	100kg
H100			Stainless Steel	3000mm	36 - 46mm	500 - 1	100kg

## Kit Contents

Component	Short Code (Aluminium)*	Short Code (Steel)
Track (x1)*	280A/****	280/****
Face Fixed Brackets	281A	281
Nylon Bodies Hangers (x2)	284**	284**
Nylon Guide (x1)	102N	102N
Clip Stop (x1)	601H	601H
Track Stop (x1)	287	287

\*\*\*\*Replace with length of track for full short code

\* An anodised aluminium track (280AN/\*\*\*\*) is also available

\*\*For metal doors use 285



## Watch the Installation Video

Visit [www.pchenderson.com/husky-sliding-installation](http://www.pchenderson.com/husky-sliding-installation) or scan the QR code using your phone.

## Accessories

Soft Stop Kit	For doors weighing up to 50kg	SOFT50	
	For doors weighing up to 100kg	SOFT100	
Simultaneous Action Kit	For bi-parting doors	SIM100	
Aluminium Soffit Fixed Fascia	For doors up to 50mm thick	F134/****	
	For doors up to 25mm thick	F138/****	
Aluminium Face Fixed Fascia	For doors up to 50mm thick	F140/****	
Face Fixed Brackets	For steel track (pack of 5 or 8)	2815 or 2818	
	For aluminium track (pack of 5 or 8)	2815A or 2818A	
Roller Guide	For metal doors	106N/94	
Guide Channel	Aluminium	94X/****	
Flush Pulls	Oval, 144mm x 44mm in black or satin	144B or 144S	
	Round, in satin or polished brass	385SA or 385PB	
	Rectangle, 108mm x 48mm x 20mm - in satin or stainless	400SA or 400SS	

$$P = \frac{B}{2} - 14$$

## Aluminium Track

## Steel Track

